Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







BARNES BROTHERS NURSERY CO., INC.

YALESVILLE CONNECTICUT



OFFICE AND NURSERIES

Situated on east side of Boston Post Road, midway between Wallingford and Meriden, Conn.

TELEPHONE: WALLINGFORD 110



FOREWORD


This year we are omitting the publication of a complete catalogue and are thereby accomplishing a very material saving in printing costs. We prefer to share the saving with our customers and you will find this reflected in our greatly reduced prices. Quality is being maintained at our same high standard.

As you study the 1933 price list, you will note that we have not been idle during 1932 and have increased our line extensively. Every addition is abreast the demand for better plants. Comprehensive descriptions are given on all new items. You will also notice that an index, in which the common plant names are listed first, has been added. We hope that this will make it easier for you to locate the plant you want.

It is a difficult matter to portray plants to advantage with words, and therefore we hope that you will visit the nursery and see the various trees, shrubs, and flowers in actual growth. If you love and enjoy plants, our display ground will reward you well for time spent in going through it. Here each plant is plainly labelled and so enables you to identify those in which you may be interested and to study many others.

Many of you have problems regarding planting, planting and upkeep about which you desire aid. Our expert landscape department will help you, either by advising or by doing the actual work. A planting should be an expression of the person making it, but the guiding hand of one familiar with plant material, and its handling is of unlimited value in avoiding disappointment and loss.

Spring will soon be here with its attendant rush. Therefore, if you prefer to mail your orders, please forward them at once before stocks are depleted. By all means, visit us if possible, and we will do our best to make the meeting pleasant and interesting.



EVERGREEN TREES

Evergreens divide naturally into two classes, broadleaved and needle type. We are concerned now with the needle type which offers a wide variety, ranging from small, dwarf, creeping forms to immense specimens that will grow 100 feet or more high. No group has quite as much character in appearance in both summer and winter. Their cool greens lend an air of dignity and refinement wherever planted.

Some evergreens should never be used in foundation planting, as they grow too tall and require too much space for development. The tall types are best used as specimens or for avenue, screen or naturalistic plantings. These include the Fir, Spruce, Pine and Hemlock.

The Spruces are very hardy and make excellent specimens or screens. The outstanding varieties are White, Colorado Blue and Koster's Blue Spruce. White Spruce is particularly valuable in difficult situations, while Colorado and Koster's Spruce are planted mainly for their striking color. Dwarf Alberta Spruce is an outstanding evergreen for rock garden work because of its extremely slow growth and fine texture.

For windbreaks or high screens, Pines are most effective. The best varieties for this section are White, Austrian, Japanese Red, Western Yellow and Japanese Black Pine. Austrian and Japanese Black Pine are the two best varieties to be used in seashore plantings. Mugho Pine is an exception, as it is dwarf growing and can be used successfully in foundation planting or in rock gardens.

Hemlock is without doubt the finest evergreen to be used where a tall dense hedge is desired and it will stand unlimited shearing.

The medium growing evergreens should always be used in foundation work, although they serve equally well as specimens. As they are slower in growth and consequently smaller in stature, less space is required for their development. They are more tolerant of the difficult city conditions.

The Cypress, Juniper, Arborvitae and Yew offer the greatest range in form and color. Each of these groups has many types of upright, globe or spreading forms suitable for all positions in the landscape plan.

Column Juniper, Red Cedar and Keteleer Juniper are unsurpassed where a tall high accent is required, as at corners or behind a garden seat. Polish, Irish and Greek Juniper seldom grow over 10 feet and are best used in formal work to designate garden entrances or other high points about the garden. The spreading types best used in foundation planting include such varieties as Japanese, Pfitzer's, Savin, Creeping and Creeping Savin Juniper.

The Arborvitaes, as a class, are very hardy and, being native, lend themselves well to our climate. The forms and colors are many and varied. The forms range from globe shapes through broad pyramids to narrow columns. All Arborvitaes stand shearing, and the two Siberian varieties will succeed well at the seashore.

The hardiest evergreen, the richest in color, which does well in either sun or shade, is exemplified by the Yew family. All are a rich black-green with bright green, new foliage and they give an air of solidity and refinement to a home planting which no other evergreen can equal. Their bright red berries in fall make them very attractive. Upright Yew and Hick's Yew are the best tall growing varieties. Spreading Japanese Yew and Dwarf Japanese Yew represent the best of the spreading and low growing forms.

Evergreens are easy to grow if, when planting, one will dig the hole at least half again as large as the ball of earth. This gives the roots a chance to take hold in the loosened soil. Fill soil about ball until hole is half full and then tamp. Cut cord and either cut off burlap flush with ground or fold it back. Great care should be taken not to break the ball. Fill hole with water and allow to soak in and after this complete filling the hole. Water thoroughly weekly, particularly if the season is dry. Be sure the ground is thoroughly wetted before the final freeze in fall.

A mild trimming every other year in September will keep the trees shapely and compact. A mulch of rotted leaves or peat moss will be found of great value.

EVERGREEN TREES—Continued

Scientific Name		Price	Each					
12 15"	15 18''	18 24''	$\frac{2}{2^{1/2}}$	$\frac{2\frac{1}{2}}{3}$	$\frac{3}{3^{1/2}}$	$\frac{3\frac{1}{2}}{4'}$	4 5'	$\frac{5}{6'}$
ABIES balsamea			2.00	2.50	3.00	3.50	5.00	
concolor		3.00	4.00	5 .0 0	6.00	7.00	8.00	
Fraseri		2.25	3.00	3.7 5				
homolepis		2.50	3.00	3.50	4.00	4.50		
CHAMAECYPARIS								
obtusa	1.50	2.00						
obtusa compacta		3.00	4.00					
obtusa Crippsii2.25	3.00	3.75						
obtusa gracilis		3.00	4.00	5.00				
obtusa magnifica		2.00	2.50					
obtusa Youngii		3.00	4.00	5.00	6.00	7.00	8.00	
pisifera	•	1.50	2.00	2.50	3.00	3.50	4.25	5.00
pisifera aurea	1.25	1.50	2.00	2.50	3.00	3.50	4.50	
pis. filifera		2.00	2.50	3.00	3.50	4.00	5.00	
pis. fil. aurea1.50	2.00	2.50	3.00	3.75				
pis plumosa	1.25	1.50	1.75	2.00	2.25	2.50	5.00	6.00
pis. pl. argentea1.50	2.00							
pis. pl. aurea1.00	1.25	1.50	2.00	2.50	3.00	3.50	5.00	
pis. squarrosa1.00	1.25	1.50	2.00					
JUNIPERUS chinensis			2.50	2.75	3.00	3.25		
chin. columnaris						4.00	5.50	
chin. japonica	2.00	2.50	3.50					
ch. neaboriensis			3.50	4.00				
ch. Pfitzeriana1.00	1.50	2.25	3.00					
communis aurea			2.00	2.50				
com. cracovica1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	
com. hibernica	1.00	1.25	1.50	1.75	2.00	2.25		
excelsa stricta1.25	1.75	2.25	2.75					
horizontalis1.25	1.75	2.25						
horiz. glauca1.50								
rigida				4.00	5.00			
Sabina1.50	2.00	3.00						
S. tamariscifolia2.00	2.50			5.00				
squamata Meyeri2.50	3.75	4.00						
virginiana				2.00		3.00	4.00	5.00
virg. Burki			4.00	5.00				
virg. glauca		2.50	3.00	3.50	4.00	4.50		
virg. Keteleeri				5.00	6.00			8.00
PICEA canadensis75	100	1.25	1.50					
excelsa	1.00	1.25		1.50		2.50	3.50	
glauca conica		5.25						
pungens	1.00	1.25	1.50	1.75				
pung. Kosteriana	5.00	6.00	8.00	10.00	12.00	14.00		

EVERGREEN TREES—Continued

Scientific Name					Price	Price Each					
	12 15"	15 18''	18 24''	$\frac{2}{2^{1/2}}$	21/2	3/2'	3½ 4'	<u>4</u> 5'	<u>5</u> 6'		
PINUS austriaca Banksiana					2.50		3.00	4.50	6.00		
densifloramontana mughus .	1.00	1.50	2.00				2.50	3.00	3.50		
ponderosaresinosa			1.00		1.50		2.25	3.00	3.75		
strobussylvestris					1.50		2.25 2.25	3.00 3.00	3.75		
Thunbergii PSEUDOTSUGA					1.50		2.25	3.00	3.75		
Douglasi			2.00	2.50	3.00		3.50	5.00			
baccata repandens.	2.00	2.50	3.50	5.00							
	2.00	2.50	3.00								
cuspidata cusp. capitata		2.50	3.00 4.50	4.00 6.00	8.00	10.00	12.00	15.00			
cusp. nana media Hicksii	3.00	4.00	4.50		7.50	10.00					
THUYA occidentalis. occ. Columbia	.50	.75	1.00	1.25 2.50	1.50 3.00	1.75 3.50	2.00 4.00	3.25 4.50	4.25		
occ. compactaocc. Ellwangeriana.	.75	1.50 1.00 2.00									
occ. Hoveyi	1.00	1.50	1.00	1.50	0.00	9.50	0.00	4.50			
occ. pyramidalis			1.00 1.50	1.50 2.00	2.00 2.50	2.50 3.00	3.00 3.75	4.50 4.50			
occ. pyr. compacta.			1.00	2.25 6.00	2.75	3.25	0.10	4.30			
occ. Riversiiocc. Rosenthalii			1.75	2.25	2.75	4.50 3.25	5.25	6.00			
occ. semperaurea . occ. spiralis			1.75 1.75	2.50 2.25	3.25 2.75	4.00 3.25	4.75	5.50			
occ. Vervaeneana occ. Wareana			1.25 2.00	1.50 2.50	2.00	2.50	3.00	4.00			
lutescensorientalis			2.00	2.50	3.00 2.00						
Standishii			2.00	2.50	3.25	3.75	4.50	5. 50			
ΓSUGA canadensis .			1.50	2.00	2.50	3.00	3.50	5.00	7.00		

5- 50 of a variety deduct 10% 50-100 " " " " 20%

BROADLEAVED EVERGREENS

We know of no plant material that has quite the all around usefulness of the broadleaved evergreens. Most of them do equally well in sun or shade and can withstand our difficult northern exposures. Broadleaved evergreens give an ideal combination with both the green foliage of the evergreen in winter and the added attraction of a very fine type of bloom in summer.

Mostly dwarf in habit, they make ideal plantings under windows, among evergreens or mixed in borders or naturalistic plantings. No trimming is required other than the removal of dead wood.

As they are lovers of acid soil, they require a heavy mulch of oak leaves or peat moss, and plenty of moisture. Otherwise leave them undisturbed but replenish the mulch from year to year that they may secure plenty of food.

People are becoming better acquainted with broadleaved evergreens and in the not far distant future, they will be found in every foundation planting or border. Considering their adaptability, the purchaser secures more per dollar expended than he can from any other kind of plant.

A brief description of some of the varieties and their uses follows:

PURPLE AND WHITE HEATHER (Calluna vulgaris and Calluna vulgaris alba)—Small-leaved evergreen shrub of irregular growth to three feet. Purple and white flowers July-August. Plant in masses in full sun and acid soil. Fine at the shore.

ROSE DAPHNE (Daphne Cneorum)—Low evergreen shrub, twelve to eighteen inches in height which spreads rapidly. Fragrant clusters of Arbutus-like flowers in May and flowering a second time in September. Does equally well in sun or shade. One of the finest rock garden plants known.

WINTERCREEPER (Euonymus radicans)—Medium-sized, glossy evergreen leaves. Slow in growth, it is best used at base of old walls or as a ground cover. Plant in either sun or shade in average soil.

GLOSSY WINTERCREEPER (Euonymus radicans Carrierei)—Shrubby in habit growing to five feet. With its glossy green leaves, it makes a fine showing against rocky banks or rough walls. Fruit a bright orange-scarlet lasting a long time. Plant in sun or shade. Needs only average soil.

BABY WINTERCREEPER (Euonymus radicans minimus)—Tiny evergreen leaves, veined white. Especially suitable in rock gardens, on bird baths or in crevices of rocks. Very slow in growth. Forms a dense mat. Average soil.

EVERGREEN BITTERSWEET OR BIGLEAF WINTERCREEPER (Euonymus radicans vegetus)—Very rugged, almost shrub-like in growth, it is the best Euonymus for a ground cover or climber. Bright orange berries with scarlet outer coat. Not particular as to soil and does well in sun or shade.

MOUNTAIN LAUREL (Kalmia latifolia)—Hardly needs description but like many of our native plants does not have the recognition it deserves. Flowers form a peculiar five sided cup, pinkish white to deep pink in color. Blooms in June. Nursery grown plants are more compact and bushy and give better results than collected stock. Laurel prefers an acid soil and loves moisture. Does equally well in sun or shade.

BROADLEAVED EVERGREENS-Continued

BOX SANDMYRTLE (Leiophyllum buxifolium)—Low, shrubby evergreen to eighteen inches. Foliage small, thick and dark green. Flowers white to pink. Blooms practically all summer. Likes sandy loam and full sun best. Fine rock garden plant.

MOUNTAIN HEATH (Leiophyllum buxifolium prostratum)—Prostrate variety similar to the above. Forms a compact mat about twelve inches high. Pinkish flowers in June and July.

DROOPING LEUCOTHOE (Leucothoe Catesbaei)—Long, pointed, shiny, reddish green leaves. Stems dull red. Fall foliage color a brilliant shade of bronze. Long, drooping panicles of white flowers during June. Fine shady-place shrub preferring a moist clay loam. Will grow about five feet.

OREGON HOLLYGRAPE (Mahonia Aquifolium)—Grows wild in Oregon. Evergreen, holly-like leaves of a rich, bronze-green color. Very compact shrub growing to three feet. Clusters of yellow flowers in April are followed by gray-blue, grape-like berries. New foliage an attractive bright green. Its scarlet and green fall foliage once seen is not soon forgotten. Plant where protected from extreme wind. Loves acid soil. A real aristocrat.

JAPANESE SPURGE (Pachysandra terminalis)—Undisputed champion of ground cover plants. Grows six inches high, spreading rapidly by under surface stalks. The best plant obtainable for use under trees where grass will not grow. Prefers acid soil which it would naturally have under trees.

MOUNTAIN ANDROMEDA (Pieris floribunda)—One of the finest slow growing broadleaved evergreens. Leaves are light green in color and its white flowers similar to Lily-of-the-Valley are held in graceful clusters. Blooms April and May. This compact shrub grows to five feet. Does well in all soils.

JAPANESE ANDROMEDA (Pieris japonica)—Similar to the above except that its white flowers hang in graceful panicles. It should be given some protection from extreme wind.

Rhododendrons, as a group, are the finest of the broadleaved class. They are very hardy in sun or partial shade and should have some part in every planting. If given an acid soil with a plentiful mulch of oak leaves, peat or even hard wood sawdust, they will thrive beautifully. We find the nursery grown plants to be the most satisfactory, as they are more compact and in better physical condition.

CAROLINA RHODODENDRON (Rhododendron carolinianum)—A dwarf variety growing about three feet. Leaves small of a reddish green color, upper surface having the appearance of being pebbled. Woody stems red. Many small flower heads, white to deep pink in color. Blooms late June.

CATAWBA RHODODENDRON (Rhododendron catawbiense—Fine for foundation planting under windows or in foreground. Compact shrub to about five feet. Large heads of purple flowers in June. Leaves three to four inches long, dark green in color and rather broad.

ROSEBAY RHODODENDRON (Rhododendron maximum)—Best used in borders or naturalized. Fine as tall screen. Leaves five to six inches long, dark green in color. Grows into a magnificent plant fifteen feet high. White flower heads in June.

COMMON PERIWINKLE (Vinca minor)—Foliage of this creeper is small, shiny, dark green, pointed in shape. Small, blue flowers in May and June. Grows well when used with Japanese Spurge. Forms a dense blanket needing no care. An excellent rock plant, succeeding equally well in sun or shade.

ADAM'S NEEDLE (Yucca filamentosa)—Its chief points of interest are its narrow, pointed, palm-like leaves of a distinct gray-green and its tall flower stalks capped by creamwhite flowers in June and July. Not particular as to soil and succeeds in either sun or shade.

BROADLEAVED EVERGREENS—Continued

Scientific Name			Pric	e Each			
	<u>6</u> 9''	9 12"	12 15''	15 18''	18 24"	$\frac{2}{2\frac{1}{2}}$	$\frac{2\frac{1}{2}}{3}$
CALLUNA vulgaris		.80 .80					
DAPHNE Cneorum		1.00	1.25	2.00			
EUONYMUS radicans		2 y ı					
radicans Carrierei		3 yı					
radicans coloratusradicans minimus		3 yı					
radicans vegetus		3 yı 3 yı					
HELLEBORUS niger		•	r. 1.00				
viridus		$\frac{2}{2}$ yi					
ILEX crenata		·			3.50	5.00	
KALMIA latifolia (nursery grown)			1.25	1.75	2.25		
LEIOPHYLLUM buxifolium		1.25	1.50	2.00			
LEUCOTHOE Catesbaei			1.50	2.00	2.50	3.00	3.50
MAHONIA Aquifolium			1.00	1.25	1.50	2.25	
PACHYSANDRA terminalis		.20 ea	۱. ;	10-\$1.80;	100-	\$15.00	
PIERIS floribunda			2.00 2.50	2.50	3.00		
RHODODENDRON carolinianum			2.00	2.50	3.00	3.50	
catawbiense maximum			2.25 1.75	2.75 2.00	3.25 2.25		
VINCA minor		.20 ea	;	10-\$1.80;	100-	\$15.00	
YUCCA filamentosa		3 yr	40				
5- 50 50-100		variety d		10% 20%			

HARDY VINES

There is no type of plant with a wider range of uses than the Vines. Equally adaptable for screening porches or pergolas, covering wall or fences, and for rambling over banks, they are indispensable in home planting. They allow a choice of both deciduous and evergreen foliage and present a variety of flower and berry.

VIRGINIA CREEPER (Ampelopsis quinquefolia)—Rapid growing vine suitable for covering walls or fences quickly. Excellent ground cover. The medium sized, dark green leaves turn brilliant red in fall. Purple berries last a long time. Not particular as to soil.

BOSTON IVY (Ampelopsis tricuspidata)—Thick dark green leaves in groups of threes. Foliage turns red in fall. Blue-black berries are very handsome. Good cover for masonry or ledges. Soil requirements average.

DUTCHMAN'S PIPE (Aristolochia Sipho)—Considered the most desirable where dense shade is preferred. Leaves very large and heart-shaped, coarse in texture. U-shaped, purple flowers develop in June and July. Does well in dense shade.

SCARLET TRUMPETCREEPER (Bignonia radicans)—One of the most attractive vines known. Orange scarlet flowers, trumpet-shaped which bloom nearly all summer. Fruit in the form of long pods. Provide with rich soil.

HARDY VINES—Continued

AMERICAN BITTERSWEET (Celastrus scandens)—Rapid growing vine with small, light green leaves and rather insignificant flowers in July. Bright orange-scarlet berries lasting well into the winter. Perfectly hardy and not particular as to soil.

ORIENTAL BITTERSWEET (Celastrus orbiculatus)—Very similar to the above.

SWEET AUTUMN CLEMATIS (Clematis paniculata)—This fine rapid growing vine should be planted more often. There is nothing more beautiful than its blanket of white growing over an old wall, fence or pergola. Its fragrance is carried far and wide and the bees and butterflies will be on hand in great numbers. A little care in planting and a supply of rich loam with a mulch after ground is frozen will insure success. Plant so that crown is just below the surface of the ground.

GOLDEN CLEMATIS (Clematis tangutica)—Fine, golden-yellow flower, 1" across. Flowers in June and again in fall. Plant has added beauty of seeds with many long silvery hairs.

CLEMATIS HYBRIDS—Plant so that crown is three inches below the surface of the ground otherwise they will not grow. Colors various. Mulch in winter.

ENGLISH IVY (Hedera helix)—Clings by tiny rootlets and is one of the best plants for climbing on masonry. Plant on north or western exposure. A fine foil for the harsh lines of stone, concrete or brick walls. Flowers are insignificant but it has fine black, shiny berries.

HALL JAPANESE HONEYSUCKLE (Lonicera jap. Halliana)—Splendid when used to cover ledges, banks, walls or fences. Medium sized leaves, oblong and very dark green in color. Flowers yellow-white and very fragrant. Black berries late fall and winter. Average soil, sun or shade.

TRUMPET HONEYSUCKLE (Lonicera sempervirens)—Moderate grower, rather loose and twining. Best adapted to stone walls and fences. Medium sized, blue-green foliage, oblong in shape. Its real value is in its trumpet-shaped, scarlet flowers during summer. Fruit scarlet. Supply rich soil and some protection in this climate. Thrives in sun or shade.

MATRIMONY VINE (Lycium chinense)—Suitable under same conditions as honey-suckle. Medium, oblong, bright green leaves and fine purple, star-shaped flowers during July and August. Few vines flower at this period or offer such a color. Fruit red.

WISTERIA—Does wonderfully well either on porches, summer houses or pergolas. Its May flowers are the earliest of the vines. Grows rapidly in a loose twining manner. Foliage rather thin of a pale green color. Large panicles of lavender flowers brighten the spring landscape. Prefers rich moist soil.

CLIMBING ROSES—Are of equal value in many places where vines are used. See climbing rose section for detail as to variety and colors.

NEW VARIETIES IN ITALICS.

Scientific Name Price	e Each
AMPELOPSIS quinquefoliatricuspidata	2 yr. No. 1 \$0.40 .50
ARISTOLOCHIA Sipho	1.00
BIGNONIA radicans	
CELASTRUS orbiculatus	40
CLEMATIS hybrids	
Dilchess of Edinburgh	75
Henryii	.75 .75
Mme. Edouard Andre	75
Ramonapaniculata	.75 .40
tangutica	.50

HARDY VINES—Continued

Scientific Name Pr	ice Each
EUONYMUS radicans	3 yr50
HEDERA helixLONICERA japonica Halliana	4 yr. 2-3 staked .00 40
sempervirens	40
ROSA Wichuriana	50
VITIS (Hort. var.) see Grapes	
WISTERIA multijuga	1.00
5- 50 of a variety deduction 50-100 " " " "	20%

DECIDUOUS TREES

Trees have entwined the heart of man since he became a sentient being, They hold a prominent place in the legends and sacred writings of all ages and all peoples, particularly in those of the old Hebrew race. Priest and poet in every land have sung their praises and down the ages a mighty literature on tree lore has been accumulated. From early time trees have offered man shelter, food, clothing and have exercised a tremendous influence over his daily life. The more simple the people the greater their appreciation, at least so it would seem since as nations become civilized they one and all by fire and axe, have destroyed the friendly trees and of these vandals, the white man ranks head and shoulders above all the others. A halt has been called to his ruthless waste and we are at least beginning to appreciate the danger done and cast about for means to amend the damage. Tree planting is now the vogue and ere long maybe, tree worship will yet again hold man enthralled. There is nothing statelier than a tree and no handiwork of man one tithe so wonderful. In loftiness of stature, massiveness of trunk, architecture of branch and bark, shapeliness of crown and bud, and in beauty of foliage no living thing is comparable with a tree.

These United States are singularly blessed in their tree birthright. No other northern land is so richly dowered and no other land boasts such a variety of useful and ornamental trees as does this country.

There is something friendly in a tree, friendly to man, to bird and to beast. From heat and cold alike it spreads a shielding crown of branch and leaf. To note at the approach of spring the melting snow around the base of a tree bole is to realize its warmth, and one has but to step beneath its shadow at mid-summer to appreciate its cooling shade. Man everywhere is fully alive to the value of trees and their products in the arts and crafts of human affairs. Would that a tithe of this appreciation could be aroused for the tree's esthetic charm.

Trees possess both character and personality as anyone may appreciate by contrasting, say, an Oak with a Birch.

In September, when the beauty of the Aster displaces that of the Goldenrod in field and border, the deep green mantle of foliage draping hill and dale, mountains and ravine, streamside and roadside commences to show portentious signs of change. In the swamps, about the last week of August and at the first whiff of autumn in the air, the Red Maple begins to assume a purplish tint and its example is soon followed by the other kinds of trees. To all of us the season of the year becomes apparent, warning signs of stern winter's approach increase rapidly, and soon the whole country puts on its gayest mantle of color.

But wherefore and why all this gay autumnal apparel? Is it the handiwork of the charming fairies and wood nymphs of our childhood beliefs and nursery days? Surely some guiding hand, some beneficient agency, some lover of mankind must have prepared the scene as the final tableau of the seasons! Of a truth the talent of the Master Artist is unveiled, and the picture surpassed the dreams of those who live in less-favored areas of the world.

Excerpts from "Aristocrats of The Trees"

by Ernest H. Wilson, Courtesy of The Stratford Co., Boston.

DECIDUOUS TREES—Continued

Brief descriptions of the additions to our previous lists follow:

JAPANESE MAPLE (Acer palmatum)—Bright green, five lobed leaves turning yellow-brown in autumn. Bushy tree best used as an ornamental on lawns or in parks. Attains a height of fifteen feet. Plant spring or fall in average soil.

SPANISH CHESTNUT (Castanea sativa)—Similar in growth, form and fruit to our native chestnut, but resistant to blight. Decidedly worth a trial.

WHITE AND RED FLOWERING DOGWOOD (Cornus florida and Cornus florida cubra.)—These need no description. However, we wish to call your attention to the prices at which these popular trees may be purchased this year.

The HAWTHORNS (Crataegus) as a group, form one of the best series of ornamentals obtainable. They are exceptional plants for hedges, screens, specimens or groups. All do well in average soil and may be safely planted either spring or fall.

WASHINGTON THORN (Crataegus cordata)—Tree growing to thirty feet. Its leaves are lobed and of a bright, shiny green. Its thorns average three inches long. The white flowers open in May, followed by scarlet fruit.

DOUBLE WHITE ENGLISH HAWTHORN (Crataegus Oxyacantha alboplena)—A small tree to fifteen feet. Leaves broad, with three to five lobes and much toothed. Stiff spines. Clusters of double white flowers, blooming in May, are followed by red fruit. Good hedge plant.

PAUL'S DOUBLE SCARLET THORN (Crataegus Oxyacantha coccinea)—Round headed, compact tree growing to 25 feet. Foliage oval, dark green and shiny. The bright red, double flowers are produced in May and June. Best as a specimen on lawns or in parks.

EUROPEAN ASH (Fraxinus excelsior)—This ash developes into a fine large tree requiring plenty of space. It will eventually reach the great height of 140 feet. It is conical in form, with smooth yellowish green bark. Buds are black. Best used as a specimen or planted in parks. Plant only in early spring and preferably in moist soil.

FLOWERING CRABS (Malus)—In view of their many fine qualities, these have received far too little consideration. Very hardy, easily grown and varying from very dwarf to good sized trees, they offer a large choice. They bear a greater profusion of flowers than any other tree and in a wider range of color. Every one has some fruit, either green, yellow, orange or crimson.

Our list of Crabs has always been large, but we have added several new outstanding varieties which you should know.

All Crabs do well in average soil and transplant equally well in either spring or fall.

CARMINE CRAB (Malus atrosanguinea)—Small tree growing from fifteen to twenty feet. Makes a well rounded head, whose branches are literally covered with clusters of rose-purple flowers in early May. Leaves a dark shiny green.

SIBERIAN CRAB (Malus baccata)—Round headed tree growing to forty feet. White flowers open in May followed by yellow to red fruit.

HOPA CRAB (Malus Hopa)—Bushy tree to fifteen feet. Deep crimson flowers in May followed by fruit, red inside and out.

PRAIRIE CRAB (Malus ioensis)—Developes into a round headed tree to thirty feet. Bright pink flowers in May followed by greenish fruit.

MALUS ZUMI CALOCARPA—Pyramidal tree to twenty feet. Flower pink in bud, becoming white when fully open. Fruit red.

RUSSIAN MULBERRY (Morus alba tatarica)—Shrubby tree producing edible, long, red fruit, enjoyed by both man and bird. Very hardy and not particular as to soil. Plant either in spring or fall.

In the PRUNUS group are exceptionally fine flowering trees for ornamental purposes. Excellent specimens either for the lawn or parks. Any one who has seen the flowering

DECIDUOUS TREES—Continued

cherries at Washington would certainly want them at his own home. Flowering cherries have proved perfectly hardy with us and one need not fear to plant them freely. They do well under average soil conditions, but should only be planted in early spring before the leaves appear.

We have added a number of fine new varieties this year, about which a brief description follows:

CHINESE BUSH CHERRY (Prunus japonica)—Dwarf, shrubby flowering cherry growing about eight feet high. Double, blush-pink flowers in April followed by small red fruit.

WEEPING JAPAN CHERRY (Prunus subhirtella pendula [natural])—A seedling becoming a much branched tree to thirty feet. Branches pendulous from the ground up. Double pink flowers in April followed by black fruit.

PINK CANTON CHERRY (Prunus serrulata rosea)—Beautiful large tree growing to seventy-five feet. Allow plenty of room. Small very double pink flowers in April followed by black fruit. Fall foliage very striking crimson tinted with yellow and orange. Leaf is large and leathery in appearance.

NADEN CHERRY (Prunus serrulata Naden)—Medium-sized tree to twenty-five feet. Semi-double shell-pink flowers turning deeper. Blossoms in May. Foliage purple-red when opening becoming dark green as it matures.

The WILLOWS are highly ornamental and whether planted along streams or on the open lawn make splendid trees.

They naturally prefer a moist soil but seem to succeed most anywhere. Their foliage stays on very late holding the bright green color well into the fall. For this reason they are valuable in contrast with the brighter colors of other trees. Plant only in very early spring before the leaves appear.

GOAT WILLOW (Salix Caprea)—Better known as PUSSY WILLOW. Shrubby tree to twenty-five feet. Catkins open very early, a harbinger of other beauty to follow.

KILMARNOCK WILLOW (Salix Caprea pendula)—Similar to the above but with stiff, pendulous branches. Bright yellow catkins in spring.

THURLOW WEEPING WILLOW (Salix elegantissima)—Large growing, spreading, weeping tree. Distinguished by its yellow green bark, making it very colorful in winter.

PURPLE OSIER WILLOW (Salix purpurea uralensis)—Shrubby tree to nine feet. Slender branches at first purple, later gray to olive gray. Striking contrast.

AMERICAN MOUNTAIN ASH (Sorbus americana)—One of the finest lawn or park trees growing seventy to eighty feet. Leaves long and lance shape, turning to violet, through brown to salmon. Requires only average soil but should be planted only in early spring.

COMMON LINDEN (Tilia vulgaris)—This is one of the best trees obtainable to withstand city conditions. Grows to 120 feet. Densely conical in form with large dark green leaves retained late in fall. Prefers moist to average soil and is safely planted spring or fall.

MOLINE ELM (Ulmus americana Moline)—Elms stand in a class by themselves and have been aptly called the "Queen of Trees." Moline Elm is conical in form with a central leader, instead of the many branched trunks common to elms. Very compact growing to forty feet. Does well in average soil and is safely planted spring or fall.

ENGLISH ELM (Ulmus campestris)—Has proved to be the best elm for use in crowded areas. Grows to 150 feet. Pyramidal in form with small, dark green leaves, persisting late in autumn. Not particular as to soil and can be planted spring or fall.

DECIDUOUS TREES—Continued

Special Offer FLOWERING TREES

PINK FLOWERING CHERRY (Prunus)4/5'
FLOWERING CRAB (Malus)
WHITE FLOWERING DOGWOOD (Cornus florida)2/3'
PAUL'S SCARLET THORN (Crataegus)
One of each of the above for \$2.99 shipped express collect
NEW VARIETIES IN ITALICS.

	NEW	VARIEI	IES III	HALIC	.S.			
Scientific Name				Price	Each			
ACER dasycarpum dasycarpum Wieri Negundo	$\frac{2}{3}$	3/4'	4 5'	<u>5</u> 6'	$\frac{6}{8}$, 1.25, 1.00	8 10' 1.75 1.50 1.00	$ \begin{array}{r} 10 \\ \hline 12' \\ 2.25 \\ 2.00 \\ 1.25 \end{array} $	12 14' 2.50 1.50
palmatum	12-1	15'' \$1.0	00;	15-18''	\$1.25;	18-	24" \$1.	
palmatum atropurpureum platanoides platanoides	15-1	.8'' 2.0	00;	18-24''	3.50; 2.00	3.00	3' 5. 4.00	5.00
Schwedleri saccharum AESCULUS					2.50 2.00	3.50 3.00	4.50 4.00	5.00
Hippocastanum BETULA alba laciniata pendula	.75	1.00	1.00		1.50	2.00	5.00	
papyrifera		1.00 1.00	1.50 1.50		2.25 1.75	2.25	•	
bignonioides nana. speciosa CERCIS canadensis CORNUS florida		1.00	1.25	1.25	1.00	1.25	2.00	
(B&B) florida rubra (B&B)	1.25	2.00	2.50	3.00	3.50	5.00	6.00	
18-24" \$1.00 CRATAEGUS cordata	1.75	3.75 1.50	4.50 2.00	•				
Oxyacantha coccinea Oxyacantha			1.75	2.50				
alboplena			1.75	2.50				
FRAXINUS americana excelsior GLEDITSIA				1.50	1.50 2.00	2.00 3.00	2.50	3.00
triacanthos JUGLANS cinerea nigra	1.00	1.50	1.50 1.50 2.00		2.00 2.00	2.50 2.50	3.50	
Sieboldiana KOELREUTERIA	1.00	1.00	2.00		2.50	3.00		
paniculata LARIX leptolepis	~		1.50				14-16'	-\$4.00

DECIDUOUS TREES—Continued

NEW VARIETIES IN ITALICS.

12 14'

Scientific Name	,			Price	e Each			
	2 3'	$\frac{3}{4'}$	4	$\frac{5}{6'}$	6	8	10	
r rozon nivon ov	3'	4'	5'	6'	8'	10'	12'	
LIRIODENDRON					2.00	2.50	2.00	
tulipifera		2.00			2.00	2.50	3.00	
denudata				12-15''	\$4.00;	2- 3'	\$8.00	
Soulangeana (B&B)				12-15''	3.00;			
Soulangeana Lennei (B&B)				12-15''	4.00;	18-24''	6.00	
tripetala (B&B)				12-15"	1.75;	18-24''	2.00	
MALUS Arnoldiana		1.00	1.25	1.75	,			
atrosanguinea		1.00	1.25	1.75				
baccatabrevipes		1.00		1.75				
Dr. Van Fleet			1.25	1.75	2.25			
fløribunda		1.00	1.25	1.75	2.25			
Hopa		1.00	1.95	1.75				
ioensis prunifolia robusta		1.00 1.00	1.25 1.25	1.75				
pumila Niedzwetz-		2.00	1,20					
kyana			3.0=	1.75	2.25			
purpurea purpurea Eleyi			1.25 1.25	1.50	2.25 2.25			
Sargentii	1.00	1.25	1.20	1.50	4.40			
Sieboldi				1.50				
Sieboldi arborescens.		1.00	1.25					
theiferaZumi calocarpa			1.50 1.25	1.50				
MORUS alba pendula.			1.20	2.50				
alba tatarica				2.00	2.50			
PLATANUS orientalis. POPULUS Eugenei					1.50 .60	2.00	115	
nigra italica					.75	.80 1.00	1.15 1.50	
PRUNUS cerasifera					•••	1,00	1,00	
Pissardi		75	1.00	1.25				
japonica serrulata rosea		.75	1.00 1.25	1.50				
serrulata Kanzan		2.00	3.00	1.00				
serrulata Naden		1.00	1.25					
subhirtella pendula (std.) subhirtella pendula				4.00				
(natural)				4.00	5.00			
SALIX babylonica				1.00	1.50			
Caprea				1.00	1.25			
Caprea pendula elegantissima				1.25	1.50 1.25			
pentandra				.75	1.00			
purpurea uralensis			1.75					
vitellina SORBUS americana				1.00	1.50	9.00		
Aucuparia					1.50 1.50	$\frac{2.00}{2.00}$	2.50	
TILIA americana					2.00	2.00	2.00	
vulgaris					2.00	2.00		
ULMUS americana americana Moline					$\frac{1.50}{2.00}$	$2.00 \\ 2.25$	9.75	
campestris					1.50	2.25	2.75	
glabra					1.50	2.00		
pumila				1.00	1.50			
5- 50 of a variety dedu	ct 10%			50-100 o	f a variet	ty deduc	t 20%	

THE BARNES BROS. NURSERY CO., YALESVILLE, CONN.

DECIDUOUS TREES—Continued

Special Offer SHADE TREES

ENGLISH	ELM (Ulmus	campestris)	6	/8′
LAUREL	LEAF WILLO	W (Salix v	itellina)	4	1/6'
EUROPEA	AN BIRCH (E	Betula alba)		4	/6'
EUROPEA	AN MT. ASH	(Sorbus Auc	uparia)		5'8'
_	1 6.3 1				

One each of the above \$3.79 shipped express collect

FLOWERING SHRUBS

When choosing hardy plant material, whether for landscaping the entire grounds or just the purchase of a few plants, deciduous shrubs offer a greater choice than any other division of nursery stock. Shrubs are available for every conceivable condition from types that grow in the poorest soil, to those that thrive in dense shade and moist positions. The flowering period covers such a wide range that one may secure continous bloom from the first breath of spring, not only up to but through the snows of winter. Many shrubs do not offer much in the way of bloom, but make up for this loss by their wonderful yield of berries, whose colors range from white, red, yellow, blue, purple to black. The berries make beautiful contrast with the foliage or brightening the drabness of winter. The berries of most shrubs are relished by our feathered friends, whose labors in destroying insects are of untold value. Garden lovers are becoming more and more interested in foliage. This attitude is well taken in that there is so much enjoyment to be secured from brilliant fall colorings. Shrubs offer about every combination possible from green, through pink, yellow, red and scarlet.

That shrubs may yield the utmost in beauty and enjoyment, a few points as to their location and care should not be amiss. In most cases, masses or groups of one variety or kindred varieties should be planted together for best effect. A solid mass of color, coming at different points or at various seasons, is far more pleasing and interesting than a miscellaneous assortment. Many shrubs lend themselves to individual planting but they are not in the majority. Whether used as a screen or in isolated groups, shrubs should be bounded by sufficient lawn area to supply an adequate setting.

Areas where shrubs are to be planted should be thoroughly spaded over and fertilized. Dig large holes which will enable the roots to be spread out that they may become established quickly. Trim back at least one-third of tops when planting, so that there may be a fair balance between root and top. Keep ground well cultivated to keep down weeds and to aerate the soil. Mulch with manure, grass clippings and the like to conserve moisture in summer. Shrubs need little trimming other than to remove old and dead wood. Be sure to cut canes to ground level or below. There is only one time to give a general pruning and that is IMMEDIATELY after flowering.

Shrubs are entirely hardy and suitable for either spring or fall planting. Cotoneasters should be planted in spring unless potted or dug with a ball of earth. Shrubs do well in any average soil with the exception of Azaleas which require an acid soil. We recommend fall planting not only because of the element of time saved, but because the plants themselves being freshly dug are in a better physical condition for planting.

You will find our list more complete than ever and the prices the lowest in years when compared with the high quality of the stock we are offering. A concise description of the new additions follows:

DOWNY SHADBLOW (Amelanchier canadensis)—Tall growing shrub to 25 ft. covered with a lacy cloud of white flowers in April and May before the leaves appear. Purple fruit in fall much relished by birds. Good in shade.

INDIGOBUSH (Amorpha fruticosa)—Vigorous shrub to 10 ft. with fine, feathery foliage turning yellow in fall. Hanging clusters of pea-like, purple flowers in June. Likes moisture. Good naturalized.

FLOWERING SHRUBS—Continued

RED CHOKEBERRY (Aronia arbutifolia)—Medium shrub to 8 ft. White flowers tinged red open in May. In fall bush is literally covered with red berries. Foliage turns red. Likes moisture.

BLACK CHOKEBERRY (Aronia melanocarpa)—Similar to the above except berries are black.

PIEDMONT AZALEA (Azalea canescens)—Grows 8-10 ft. Fragrant rosy pink flowers in May, before or with the leaves. Prefers sun to half shade. Moist acid soil.

TORCH AZALEA (Azalea Kaempferi)—Dwarf to 5 ft. Flowers vary from bright orange to salmon pink. Irregularly formed, half evergreen. Light shade and acid soil.

PINXTERBLOOM (Azalea nudiflora)—Commonly called Wild Honeysuckle. Flower varies from blush pink to red. Blooms May and June. Open growing shrub to 8 ft. Likes rather dry situation and part sun. Acid soil.

PRATT BARBERRY (Berberis aggregata Pratti)—New and interesting barberry growing into a small urn shaped plant some 9 ft. high. Long spines, small leaves and yellow flowers. Berries bright salmon-red in tasseled panicles of great ornamental value. Very hardy.

JUNO-BUTTERFLYBUSH (Buddleia Davidi superba)—Rapid growing to 15 ft. Tops die back each year unless in protected situation. Flower a fine, clear, lavender with an orange eye, carried on an upright spike. Very showy.

WILSON COTONEASTER (Cotoneaster Wilsoni)—Compact, upright shrub to 6 ft. Neat, rounded, dark green leaves turning bright red in fall. Flower insignificant born on long stems in small clusters. Red berry.

SHELLPINK DEUTZIA (Deutzia rosea floribunda)—Fine upright shrub to 6 ft. Flowers white, slightly pink on the outside. The dense upright panicles bloom in May or June.

EUROPEAN BURNING BUSH (Euonymus europaeus)—Large shrub to small tree to 15 ft. Erect in growth with fine dark green foliage turning crimson in fall. Yellow flowers insignificant but its orange and scarlet fruit is very beautiful. Good in half shade. Fine specimen.

YEDDO EUONYMUS (Euonymus yedoensis)—Dome-shaped and dense to 10 ft. Leaves 5-6" long of a good dark green, turning scarlet in fall. Scarlet berries with pink outercoat. Good in half shade. Specimen.

FORSYTHIA (Forsythia ovata)—Spreading type of Golden Bell to 5 ft., with grayish branches. Flower amber-yellow and earliest of all to bloom.

WOODWAXEN (Genista tinctoria)—Upright shrub to 3 ft. Small, bright green, shiny leaves. Yellow pea-shaped flowers from June until frost. Suitable for rock gardens, sidehills, banks or seashore planting. Will grow on poorest of soils.

GREAT SILVERBELL (Halesia carolina)—Shrub or small tree to 30 ft. Myriads of bell-shaped white flowers in May. Excellent specimen.

WITCH HAZEL (Hamamelis virginiana)—Fine native shrub or small tree to 15 ft. Yellow ribbon-like flowers in October and November. Fine in moist places.

GOLDEN ST. JOHNSWORT (Hypericum aureum)—Low dense shrub to 4 ft. Foliage bluish green; bark reddish; yellow, single, buttercup-like flowers from August to September. Good late bloomer. Half shade, moist soil.

FINETOOTH HOLLY (Ilex serrata)—Tall shrub or small tree to 15 ft., with small, dull green leaves. Scarlet berries in fall. Fine among evergreens or as specimen.

COMMON WINTERBERRY OR BLACK ALDER (Ilex verticillata)—Tall shrub to 9 ft. Plant in groups to bring out color of fall scarlet berries, which are retained all winter. Moist shady location.

PURPLE BUSH CLOVER (Lespedeza formosa)—Showy bush of the clover family, with slender, half trailing branches, covered in September with reddish purple flowers, similar to pea blossoms. Grows 4 ft. Tops die down each year. Fine late bloomer. Good in perennial border.

FLOWERING SHRUBS—Continued

AMUR PRIVET (Ligustrum amurense)—Tall growing to 15 ft., it is the best privet for severe northern winters. Half evergreen, black fruit.

WINTER HONEYSUCKLE (Lonicera fragrantissima)—Bushy shrub to 8 ft., having waxy white flowers in April and May, before leaves unfold. Foliage rich green persisting late in winter. Bushes covered with scarlet berries in September. Good in shade.

BROAD BLUELEAF HONEYSUCKLE (Lonicera Korolkowii floribunda)—Immense shrub to 15 ft., spreading to 30 ft. Foliage peculiar shade of blue-gray. In early summer shrub has pink flowers, followed by an abundance of red berries. One of the finest honey-suckles. Fruit enjoyed by birds.

ALBATRE MOCK ORANGE (Philadelphus Albatre)—Many double flowers assembled in panicles of pure white.

ATLAS MOCK ORANGE (Philadelphus Atlas)—Large shrub, with immense cream-colored flowers 3" across.

DWARF MOCK ORANGE (Philadelphus Avalanche)—Graceful shrub to 4 ft. Cream-colored fragrant flowers in June.

BOUQUET BLANC MOCK ORANGE (Philadelphus Bouquet Blanc)—Small, dense shrub to 4 ft. Medium sized, snow-white flowers in large clusters in June.

PHILADELPHUS BRACHYBOTRYS—Medium shrub to 6 ft. with short racemes of creamy white flowers somewhat fragrant.

DOUBLE FLOWER MOCK ORANGE (Philadelphus coronarius plenus)—Large shrub to 9 ft. with double cream-white flowers.

NEPAL MOCK ORANGE (Philadelphus nepalensis)—Medium, upright shrub to 6 ft. White flowers.

PHILADELPHUS NORMA—Shrub to 6 ft. with either double or single white flowers.

PHILADELPHUS ROSACE—Erect shrub with slender branches. Flowers large with two or three rows of petals varying from cream-white to pure white.

FRAGRANT SUMAC (Rhus candensis)—Vigorous spreading shrub to 3 ft. having aromatic leaves and showy heads of yellow flowers in April and May. Coral red fruit with silky hairs appear in June. Scarlet foliage in fall. Good on dry, stony or waste land.

VEITCH SPIREA (Spiraea Veitchii)—Tall growing to 12 ft. Long arching branches and corymbs of white flowers in May. One of the largest and best. Suitable for half shade.

LILACS are one of our best all purpose shrubs. Their foliage is a rich dark green and is pleasing at all seasons of the year. Fortunately lilacs are not particular as to soil requirements and lend themselves equally well to hedges, screens, or individual specimens. Lilacs do best in full sun but will do well in half shade.

SYRINGA HUGO KOSTER—Single; pale lilac flowers.

SYRINGA JAN VAN TOL-Long slender trusses of pure white flowers.

SYRINGA KATHERINE HAVEMEYER—Large clusters of double, blue-violet flowers.

SYRINGA WALDECK ROUSSEAU—Long, widely branched, open clusters, pink without and mauve within. Flower throat white.

ODESSA TAMARISK (Tamarix odessana)—Upright, slender, shrub to 6 ft. Pink flowers in August. Foliage a fine, feathery, blue-green. Fine for naturalizing either in dry or moist places.

PURPLE TAMARISK (Tamarix parviflora purpurea)—Small tree to 15 ft. with slender, dark purple, arching branches. Flowers light pink opening in August.

AMERICAN CRANBERRY BUSH (Viburnum americanum)—Tall, open growing shrub to 15 ft. Noted for its large red berries in July, which last all winter. Good in shade.

FLOWERING SHRUBS-Continued

NEW VARIETIES IN ITALICS.

Scientific Name				Price	Each			
	12	12	15 18''	18 24"	2/3'	3 4'	4 5'	5 6'
ACANTHOPANAX				0.5	٥٢			
pentaphyllum				.25	.35			
AMELANCHIER canadensis		.50		.60	.75			
AMORPHA fruticosa		.50		.00	.35	.50	.75	
ARONIA arbutifolia				.50	.60	.50	.10	
melanocarpa				.50	. 60			
AZALEA arborescens	2.00		2.50	3.00	.00			
calendulacea	2.00		2.50	3.00				
canescens	2.00		2.50					
Kaempferi	2.22		0.50	5.00				
nudiflora	2.00 3.00		2.50 4.00					
Vaseyi	3.00		4.00					
BERBERIS aggregata Pratti				.80				
Thunbergii 3 yr.		.25		.35	.45			
PER 10		2.00		3.00	4.00			
PER 100	20	16.00	40	24.00	32.00			
Thun. atropurpurea PER 10	.30 2.70		.40 3.60	.50 4.50				
Thunbergii minor	2.10		6-9'		5: P	ER 10	\$2.25	
BUDDLEIA				,,	- ,		#_0_ 0	
alternifolia				.40	.50	.60	.75	
Davidi Veitchiana					o. 1 50c			
Davidi superba				No	. 1 75	C		
floridus		.20		.30	.40	60		
floridus		.20		.30	.25	.60 .35		
Amomum			•	.25	.35	.50		
Kousa					1.00	1.25		
stolonifera				.25	.35	.50	.75	
stolonifera flaviramea COTONEASTER				.25	.35	.50		
Dielsiana					.75	1.00		
divaricata				.50	.75	1.00		
horizontalis	4" Pots	75c				1.00		
Wilsoni CYDONIA japonica		.35		.50	.75	1.00		
DEUTZIA gracilis		.50		.50				
gracilis rosea		.50		.75				
Lemoinei				.50				
rosea floribunda				.25	.35	50		
scabra crenatascabra Pride of				.25	.35	.50		
Rochester				.25	.35	.50		
DIERVILLA								
sessilifolia					.50			
ELSHOLTZIA Stauntoni				1.00				
ENKIANTHUS				1.00				
campanulatus B&B	2.00							
EUONYMUS alatus				.75	1.00			
'europaeus				.35	.50	.75		

FLOWERING SHRUBS—Continued

NEW VARIETIES IN ITALICS.

wadaansis	12 15"	12 18''	15	18 24"	2 3'	3 4'	4 5'
yedoensis EXOCHORDA grandiflora FORSYTHIA intermedia intermedia spectabilis ovata		.25		.75 .35 .25 .35	.50 .35 .50	.50 .75	.75
suspensa				.25 .25 .25 .75	.35 .35 .35 1.00	.50 .50 .50	
HALESIA carolina		,		.35 .50	.50 .75	.75	
White					.50		
grandiflorapaniculata grandiflora		,		.35	.50		
Bush Form Tree "				.25	.35 .35	.50 .50	.75 .75
HYPERICUM aureumprolificum				.50	.75 1.00	1.25	
ILEX serrataverticillata		1.00 .35		1.25 .50	.75	1.20	
KERRIA japonica		.35		.50 .35	.50 .50	.75 .75	
LIGUSTRUM amurense	PER 10 PER 100	.15 1.35 12.00	,	.20 1.65 15.00	.25 2.00 18.00		
LIGUSTRUM iboliumPER 10		.20 1.80		.25 2.25	.30 2.70		
RegelianumPER 10		10		.30 2.70	.40 3.60	.50 4.50	
ovalifoliumPER 10 PER 100		.10 .75 5.00		.12 .85 6.00	.15 1.00 8.00	.25 2.25 13.00	
LONICERA fragrantissima Korolkowii floribunda Morrowi				.25 .50	.35 . 75 .35	.50	
Ruprechtianatatarica albatatarica rubra				.25	.35 .35 .35	.50 .50 .50	
PHILADELPHUS Albatre Argentine				.35 .25	.35	.50	
Atlas				.25 .25	.35	.50	
Bouquet Blancbrachybotryscoronarius				.25 .25 .25	.35 .35 .35	.50 .50	.75
coronarius aureus		.25		.50	.35 .35	.50 .50	.75 .75
grandiflorusnepalensis				.25 .35	.35 .50	.50	.75
Norma Perle Blanche				.25	.35	.50 .50	.75

FLOWERING SHRUBS—Continued

NEW VARIETIES IN ITALICS.

Scientific Name			Price E	ach			
	12 15''	<u>12</u> 18"		<u>18</u> <u>24''</u>	2/3'	3 4'	4 5'
Cont'd Rosace splendens virginalis				.25 .25 .35	.35 .35 .50		
PHOTINIA villosa				.50	.75		1.25
PHYSOCARPUS opulifolius opulifolius luteus				.25	.35 .35	.50 .50	.75 .75
POTENTILLA fruticosa		.50					
PRUNUS grandulosatriloba		.35		.50	.75 .75		1
RHODOTYPOS kerrioides				.35	.50	.75	
RHUS canadensis				.50 .50	.75 .60	.75	1.00
SAMBUCUS canadensis acutiloba canadensis aurea				.35	.50 .50	.75	
SPIRAEA Billardii		.25		.25 .35 .25 .25 .25 .25 .25 .25	.35 .35 .35 .35 .25 .35 .35	.50 .50	
SYMPHORICARPOS Chenaultii racemosus vulgaris				.25	.35 .35	.50 .50 .50	
SYRINGA Josikaea microphylla persica vulgaris vulgaris alba				.50 .35 .50	1.00 .50 .50	1.50 .75 .75	1.00
French hybrids Charles the Tenth Congo Hugo Koster Jan Van Tol Lamartine Lucie Biltet Ludwig Spaeth Lutece Marie Legraye Monge Negro Nigricans President Lincoln Royal Blue				.50 .50 .50 .50 .50 .50 .50 .50 .50 .50	.75 .75 .75 .75 .75 .75 .75 .75 .75 .75	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50

FLOWERING SHRUBS—Continued

NEW VARIETIES IN ITALICS. -

Scientific Name			Price E	ach			
	<u>12</u>	12 18''	15 18''		2 3'	3 4'	4 5'
French hybrids—Cont'd Varina Ellen Willmott Emile Lemoine Jeanne d'Arc Katherine Havemeyer Mme. Jules Finger President Grevy Waldeck-Rousseau			•	.50 .50 .50 .50 .50 .50	.75 .75 .75 .75 .75 .75 .75	1.00 1.00 1.00 1.00 1.00 1.00	1.50 1.50 1.50 1.50 1.50
TAMARIX odessana parviflora purpurea			ř	.35 .50	.50	.75	
VACCINIUM corymbosum (B & B)	•				1.50	2.00	
VIBURNUM acerifolium americanum Carlesii				.75 .50 1.50	1.00	1.25	
cassinoidesLantanaLentago				.35 .35 .50 .35	1.00 .50 .50 .75	.75	
Opulus nanum Sieboldii		35	6-8''	35c;	8-10''	50c	
tomentosum tomentosum plicatum Wrightii	•	35		.35 .50 .75	.50 .75 1.00		
WEIGELA Eva Rathke				.35	.50 .50		
ZANTHORHIZA apiifolia	•	35					

Special Shrub Offer

ANY FIVE-25c SHRUBS	.89
ANY FIVE-35c SHRUBS	1.23
ANY TEN-25c SHRUBS	1.68
ANY TEN-35c SHRUBS	2.39

PERENNIALS

Perennials have become an indispensable part of every garden. They not only augment the blooming season covered by shrubs and trees, but give a great variety of color and supply a continuous flow of cutting material for decoration in the home.

Our stock has been improved and enlarged greatly in the last two years, and after studying our offerings for 1933, you will find about every type of plant one could desire. We have made an especial effort to cover the needs of those desiring rock garden material of the better kinds and we cannot urge you too strongly to visit the nursery and study these fine plants for yourself. All our plants have made a wonderful growth this year and are in excellent condition both as to quality and size.

Prices on perennials are now so low that no one need be without their colorful beauty.

In case you are not familiar with the habits of the new additions, a brief description follows:

AUTUMN MONKSHOOD (Aconitum autumnale)—Foliage large and much divided. Height 3-4 ft. Helmet type, dark blue flowers open in September and October. Likes rich soil and sun or partial shade. Dislikes being moved.

BUGLEWEED (Ajuga genevensis)—Leaves large, dark green. Grows in tufts 6-8" high. Short spikes of medium blue flowers. Blooms May and June. Does equally well in extremes of sun or shade. Excellent carpeting variety. Average soil.

ALPINE COLUMBINE (Aquilegia alpina atrocaerulea)—Bushy type. Grows to 15". Deep blue flowers in May. Average soil. Sunny well drained position.

KELWAY'S LONG SPURRED HYBRIDS (Aquilegia, Kelway's) English strain. Bushy Columbine form growing to 18" with much divided leaves. Colors various. Blooms May and June. Very long spurs. Average soil. Sun or semi-shade.

COLUMBINE, SCOTT ELIOTT LONG SPURRED HYBRIDS (Aquilegia, Scott Eliott's)—Same as above but of American origin.

SANDWORT (Arenaria ceriscifolia)—Mossy, low growing to 1". Small, white starshaped flowers in May and June. Sandy soil. Sun or semi-shade.

SEA PINK OR THRIFT (Armeria formosa)—Tufted gray-green leaves. Growth 15". White to pale pink flowers in dense heads. Blooms May until frost. Sun and average soil.

JAPANESE HARDY ASTER (Aster Mauve Cushion)—Hairy, dark green leaves form a dense cushion, 12" high. Daisy-like, mauve flowers in October and November. Poor soil and full sun.

INDIA ASTER (Aster subcaeruleus)—Oval, green leaves. Forms low tufts. Single, daisy type, pale blue flowers, July to September. Good cutting variety of rock plant. Average soil and full sun.

ASTILBE QUEEN ALEXANDRA—Lobed, green foliage, forming bush to 3 ft. Light pink, feathery spikes of flowers fine for cutting. Blooms June and July. Moist loam, half shade.

CUP AND SAUCER CANTERBURY BELLS (Campanula Medium calycanthema)—Biennial. Light green leaves, bushy habit to 3 ft. Colors, pink, blue, lilac and white. Showy spikes in June and July. Separate colors. Full sun and average soil.

BACKHOUS BELLFLOWER (Campanula perscifolia alba Backhousei)—Fine large white variety growing to 18". Flowers June and July. Small, light green leaves in tufts. Fine rock plant. Rich loam, full sun.

DOUBLE PEACH LEAF BELLFLOWER (Campanula persicifolia fl.pl.)—Small bright green leaves in tufts. Flowers blue, double and growing to 18". June and July. Averáge soil, full sun.

PFITZER'S PEACH LEAF BELLFLOWER (Campanula persicifolia fl. pl. Pfitzer's)—Similar to above. Flowers fine; color tints from white to blue.

PETTICOAT BELLFLOWER (Campanula persicifolia grandiflora)—Similar to above. Flower single blue, extra large.

PERENNIALS—Continued

WILD OR INDIAN SENNA (Cassia marilandica) Bushy habit to 5 ft. with much divided light green leaves. Racemes of fine yellow flowers. Blooms July to September. Very showy. Average soil, full sun.

BLISTERCREST (Cheiranthus linifolia)—Native of Spain. Narrow, grayish leaves form low branched clump to 12". Flowers 1" across in clusters, lilac or mauve in color. June until August. Average soil, full sun. Biennial.

HARDY CHRYSANTHEMUM. Varieties.

DAYBREAK—New single 3" or more across. Shell-pink and fragrant. 2 ft. Blooms October 10. Rich soil and sun.

ETHEL—Bright red, miniature pompon growing about 18". October 10.

JEAN CUMMING—Pure white, double, growing to 2 ft. October 10.

SILVER LINING—Finest white averaging 3-4" across. Fully double and snow-white to center. 2 ft. Blooms October 15th to frost.

VIVID—New, very double, crimson about $2\frac{1}{2}$ " in diameter. 30". October 1.

YELLOW GEM—New canary-yellow pompon hardly 3/4" across. 18" in height. Early October.

DWARF SWEET WILLIAM (Dianthus)—Mixed colors. General character same as Sweet William. Fine rock plant 6-8" high. Colors white to dark red. May to July.

CLOVE PINK OR CARNATION (Dianthus caryophyllus)—Narrow, silvery green leaves in 9" tufts. Flowers various pinks 1" across. Very fragrant. Blooms May to July. Sun and average soil.

GRASS PINK (Dianthus plumarius nanus)—Bluish, grass-like leaves forming a dense mat. Flowers double and white, pink or red from June till frost. 8-12". Sun and average soil.

SHIRLEY FOXGLOVE (Digitalis Giant Shirley)—Tall border plant 3-5'. Leaves large and rough in texture. Flowers on long spikes and tubular in form. Colors purple, lavender, pink and white. Blooms June and July. Biennial. Sold only in mixed colors. Average soil and does well in half shade or mixed in rear of border or among shrubs.

FOXGLOVE (Digitalis Lutzie)—Similar to above. Flowers of beautiful salmon shades. Very choice.

ROMAN WALLFLOWER (Erinus alpinus)—Downy, dark green leaves in the form of tufts. Violet flower spikes in May and June. Fine rock plant requiring well drained soil in full sun.

EUPATORIUM FRASERI—Leaves rough and coarse in bushy form 2-4 ft. high. Fuzzy, white flowers in July and August. Dry locations in sun or part shade.

GOATSRUE (Galega officinalis nana rosea)—Dainty, dwarf, rose colored flowers. Trailing habit, with narrow green leaves. Flowers in sprays, May to September. Give sunny well-drained location.

BABYSBREATH (Gypsophila repens rosea)—Dainty, dwarf rose colored flowers. Trailing habit with narrow, green leaves. Flowers in sprays, May to September. Give sunny well-drained location.

BLACKBUD INULA (Inula Royleana)—Leaves dark green, broadly rounded in tufts. Grows 18-24". Flowers yellow, resembling sun flowers, averaging 5-6" across. Blooms July to September. Fine new border plant. Average soil and sun.

JAPANESE IRIS (Iris Kaempferi)

DORIS CHILDS—Single white, veined violet with dark violet cup like center.

FASCINATION—Double lavender blue. Very large.

RED RIDING HOOD—Single red purple with milky white center.

PERENNIALS—Continued

SPOTTED DEADNETTLE (Lamium maculatum)—Fine old garden favorite, neglected for a long time. Leaves pointed gray-green, tinged red with white variations. Grows 6" high, spreading rapidly. Small, purple-red flowers continue all summer. Fine in rock garden. Sun or shade and average soil.

WHITE SPOTTED DEADNETTLE (Lamium maculatum album)—Same as above without red tinge to the leaves and with white flowers.

CARDINALFLOWER (Lobelia cardinalis)—

QUEEN VICTORIA—Foliage dark red. Erect in growth to 30". Flower spike vivid scarlet in August and September. Fine late red and very showy. Suitable either in sun or partial shade. Loves moist soil.

SWISS FORGET-ME-NOT (Myosotis dissitiflora "Perfection")—Large, dark green leaves in clumps to 12". Large flower clusters of deep blue in June. Fine for shady border or sunny waterside. Moist soil.

WHITECUP (Nierembergia rivularis)—One of the finest new rock plants. Leaves heavy and light green form a low, compact mass 3" high. Flowers stand erect like small cups, 1-1\frac{1}{2}" across. Petals snow white. Blooms all summer. Grows anywhere.

ICELAND POPPY (Papaver nudicaule)—Fern-like, bright green foliage to 15". Flowers yellow, orange, white and pink mixed. Cup shape on single stems. Blooms July to September. Sandy loam and full sun. Edging or rock garden.

BLACKBERRY LILY (Pardanthus or Belamcanda chinensis)—Fine for hardy border. Plant lily-like with orange flowers, spotted black. Stems 30" high. Blooms July and August. Prefers sun and average soil. Seeds resemble large blackberries.

HARDY PHLOX (Phlox decussata)

B. COMPTE—Darkest red in cultivation.

ENCHANTRESS—Bright salmon pink with dark red center. Large heads.

EUROPA—White with decided crimson eye.

RHEINLANDER-Large flowered, deep salmon pink. Dwarf.

MARIES BALLOONFLOWER (Platycodon grandiflorum Mariesii)—Dwarf and bushy. Foliage a good green, broad and thick. Flowers deep violet blue on 12" stems. Blooms in great profusion entire summer. Light sandy soil in sunny border or rock garden.

GREEK VALERIAN OR JACOB'S LADDER (Polemonium caeruleum "Prima Donna")
—Dense, finely cut, light green foliage. Erect stems to 18" with light blue flowers in June and July. Prefers sun and light, well drained soil.

JACOB'S LADDER (Polemonium Richardsonii)—Similar to the above except flowers a deep sky-blue.

CINQUEFOIL (Potentilla Macnabiana)—Spreading habit with strawberry like leaves. Flowers in clusters 12" high, blood red in color. Blooms June to September. Full sun and average soil.

AURICULA (Primula Auricula)—Mixed hybrids. Low growing to 9". Broad, bright green leaves. Flowers on single stems, yellow, white, pink and red with dark eye. Bloom June and July. Sun and average soil.

BIGLEAF OR SIBERIAN PRIMROSE (Primula cortusoides)—Leaves, soft, wrinkled and heart-shaped. Flowers a deep rose, single and star-shaped. Distinct variety growing to 10". Blooms June and July. Loves partial shade and average soil.

ROCKFOIL, CARPET OF FLOWERS (Saxifraga variety) —Finely divided leaves in a mat to 6". Single carmine flower June to August. Fine rock plant. Best in well drained soil and partially shaded location.

STONECROP (Sedum)

—ALTISSIMUM—Leaves lance-like and blue-green in color. Evergreen. Grows to 2 ft. Flower, greenish white spike in July to August. Sun and sandy soil.

—FOSTERIANUM—Leaves, bluish green 4-6" high. Numerous yellow flowers June and July. Sandy soil and sun.

LYDIUM—Creeping habit with bright green leaves. Clusters of white flowers June and July. Sun and sandy soil.

MIDDENDORF—Reddish green, toothed, tufted leaves to 1". Greenish white flowers August and September. Sandy soil and sun.

NICAENSE—Small, bright green, lance-like leaves. Very dainty. Sandy soil and sun. HOUSELEEK (Sempervivum)

ALBERTH—Evergreen succulent, medium sized rosettes to 8". Flowers bright red, September and October. Sun and sandy soil.

SOBOLIFERUM—Evergreen succulent, good sized rosettes to 9". Pale yellow, clustered flowers on single stems in September and October. Sun and sandy soil.

PRAIRIE MALLOW (Sidalcea candida)—Similar to hollyhock in growth but with rounded leaves. Branching habit growing to 3 ft. Flower white. Good border plant for July and August. Sun and average soil.

AUTUMN CATCHFLY (Silene Schafta)—Fine, bright green leaves in mat form to 6". Numerous star-shaped bright pink flowers, July to October. Fine as edging or in rock garden. Average soil and sun.

WOUNDWORT OR WOOLLY BETONY (Stachys lanata)—Different type of rock plant, having woolly, silver foliage. Flower useless. Well drained soil and sun.

CAROLINA THERMOPSIS (Thermopsis caroliniana)—Light green, frilly, cut leaves erect in growth to 3 ft. Pale yellow, pea-like flower spikes in June and July. Sun and average soil.

WOOLLY THYME (Thymus serpyllum lanuginosus)—Woolly gray green foliage forming a solid mat 1" high. Small pink flowers June and July. One of the finest rock plants. Well drained sandy loam and full sun.

VIRGINIA SPIDERWORT (Tradescantia virginiana)—Narrow lily-like leaves. Clusters of cup shaped blue flowers continuing all summer. Grows 18". Average to poor soil and moisture.

PINK VIRGINIA SPIDERWORT (Tradescantia virginiana rosea)—Same as above with rose flowers.

GLOBEFLOWER (Trollius Orange Prince)—Similar to other Trollius except flowers are very large. Sun, average soil, May to August.

GOATFLOWER (Tunica Saxifraga alba)—Grassy green tuft to 6". Trailing sprays of white flowers, June to September. Sunny dry location in rockery walls or walks.

BASTARD SPEEDWELL (Veronica amethystina)—General character of Veronica. Grows to 15". Deep blue flowers from July to November. Latest of all to bloom. Sun and average to poor soil.

WOOLLY SPEEDWELL (Veronica incana)—Foliage gray and woolly. Grows 2 ft. Sky-blue flowers July and August. Sun and average to poor soil.

COMB SPEEDWELL (Veronica pectinata rosea)—Leaves toothed, white and woolly of prostrate habit. Flowers many in recemes, rose-pink in color. Blooms August and September. Sun, average to poor soils.

ROSE HAREBELL SPEEDWELL (Veronica Teucrium prostrata nana rosea)—Small green leaves. Habit creeping. Rose flowers on tiny spike in May. Sun and average soil. Fine rock plant.

APRICOT QUEEN (Viola)—Large flowers of rich orange color. Blooms June to October. Fine for border or rock garden.

G. WERMIG (Viola)—Violet blue flowers and very early. June to October.

EUROPEAN YELLOW VIOLA (Viola lutea splendens)—Flower clear yellow.

ROYAL GEM—The best of the Violas. Very large, royal purple flowers on erect 6" stems. Fine picking variety.

All violas do well in average soil. In midsummer give the plants a severe cutting back so that new growth will form. You will be rewarded with an extra wealth of bloom.

ALL PLANTS 25c EACH EXCEPT AS NOTED

*ROCK GARDEN PLANTS

NEW VARIETIES IN ITALICS

•	
Scientific Name	Scientific Name
ACHILLEA Millefolium roseum	ASTER (Named Varieties) Cont'd.
Ptarmatica, The Pearl	Pink Royal
ACONITUM autumnale	Queen Mary
Fischeri	Royal Blue
Wilsoni	Sam Benham
*AJUGA genevensis	White Climax
ALTHEA rosea—Pink, maroon, red, white,	Ypres
salmon, yellow	ASTILBE Deutchland Gladstone
ALYSSUM *rostratum	Queen Alexandra
*saxatile compactum	AUBRETIA*deltoidea Leichtlini
ANCHUSA *angustifolia	*hybrida
italica var. Dropmore	BAPTISIA australis
*myosotidiflora	BELAMCANDA chinensis
ANTHEMIS tinctoria	BOCCONIA cordata
tinctoria Perry's var.	BOLTONIA asteroides
AQUILEGIA *alpina atrocaerulea	*CALAMINTHA alpina
caerulea	*
caerulea hybrids	CAMPANULA *carpatica
*flabellata nana alba	*carpatica alba *garganica
Kelway's long-spurred hybrids	Medium—Blue, lilac, pink, white
Scott Eliott spurred hybrids	Medium calycanthema
Skinneri	*persicifolia
alpina floro-plena	*persicifolia alba
ARABIS *alpina nana compacta	*persicifolia alba Backhousei
*alpina nana compacta rosea	*persicifolia flore-pleno
ARENARIA *ceriscifolia	*persicifolia flore-pleno alba
*montana	* persicifolia flore-pleno Pfitzer's * persicifolia grandiflora
ARMERIA *formosa *Laucheana	*rotundifolia
•	CASSIA marilandica
ARTEMISIA lactiflora	
Silver King	CENTUREA dealbata macrocephala
*ASCLEPIAS tuberosa	montana
ASTER *alpinus	montana alba
*Amellus roseus	CEPHALARIA tatarica
luteus hybrids	*CERASTIUM tomentosum
*Mauve Cushion	CHEIRANTHUS *Allionii
ptarmicoides subcaeruleus	*linifolia
ASTER (named varieties)	·
Anita Ballard	CHRYSANTHEMUM coccineum (asst'd) Leucanthemum
Elta	maximum
Enfant de Vitris	Named hardy varieties
Felthan Blue	Barbara Cumming
Freedom	Daybreak
Grey Lady	Ethel
Heather Glow	Frances Whittlesey
King of the Belgians Mrs. McCudden	Gypsy Girl
October Dawn	Jean Cumming
Solobol Dawii	Metzi

ALL PLANTS 25c EACH EXCEPT AS NOTED

*ROCK GARDEN PLANTS

NEW VARIETIES IN ITALICS

		ES IN TIALICS
Scientific Name		Scientific Name
CHRYSANTHEMUM		*GLOBULARIA trichosantha
Mrs. J. W. Martin		GYPSOPHILA Bristol Fairy
Mrs. L. Birchard		*cerastioides
October Dawn		*repens
October Girl		*repens rosea
R. Marion Hatton Ruth Cumming		HELENIUM autumnale superbum
Ruth Hatton		HELIANTHEMUM *citrinum
Silver Lining		*Fireball
Vivid		*mutabile
Yellow Gem		HELLEBORUS see Broadleaf Evergreens
CLEMATIS *integrifolia		HELIOPSIS helianthoides Pitcheriana scabra zinniaeflora
recta *CONVALLARIA majalis		HEMEROCALLIS Dumortierii
COREOPSIS lanceolata		fulva Kwanso
DELPHINIUM Belladonna		*HEUCHERA hybrids HIBISCUS moscheutos (red and white)
Bellamosum		HOSTA caerulea
Summer Cloud		lancifolia variegata
Wrexham hybrids		IBERIS *gibraltarica
DIANTHUS barbatus		*sempervirens
White, Scarlet Beauty, Dark Maroon	1,	INCARVILLEA Delavayi
Newport Pink, Holborn Glory		INULA *ensifolia
DIANTHUS barbatus		Royleana
*(Dwarf mixed) *caesius		IRIS *cristata
*caryophyllus (Double Asst'd;		*Forrestii
White, pink, red, scarlet)		germanica hybrids
*deltoides albus		Albert Victor
*deltoides Brilliant		Ambassadeur Darius
*plumarius nanus (Double Mixed)		Gertrude
DICENTRA *formosa	50c	George J. Tribolet
spectabilis DICTAMNUS fraxinella	50c	Gold Imperial 50c
		Harmony
DIGITALIS Giant Shirley mixed Lutzie hybrid mixed		Honorabilis
DORONICUM caucasicum		Lochinvar Mother of Pearl
ECHINOPS Ritro		Mrs. Cuthbertson
		Mrs. H. Darwin
ERIGERON*Coulteri *multiradiatus roseus		Pariensis
*ERINUS alpinus		Rota
ERYNGIUM Heldreichi		Rose Unique
planum		Silver Queen Sir Galahad
EUPATORIUM Fraseri		Intermedia hybrids
GAILLARDIA grandiflora		Charmont
GALEGA officinalis nana rosea		Crimson King
*GENTIANA Andrewsi		Fritjof
GEUM *Mrs. Bradshaw		Ingebord Kaempferi hybrids
*Lady Stratheden		Amethyst

ALL PLANTS 25c EACH EXCEPT AS NOTED

*ROCK GARDEN PLANTS

NEW VARIETIES IN ITALICS

Scientific Name		Scientific Name	
IRIS—Continued			
Caprice		Midseason	
Carlton Childs		Armand Rosseau	
Doris Childs		Canari	
Fascination		Canary Plume	50c
Mt. Hood		Delicatissima	
Pyramid		Duchess de Nemours	
Purple and Gold		Duchess d'Orleans	
Red Riding Hood		Festiva Maxima	
Temple Flower *pumila		grandiflora rosea Karl Rosenfield	500
siberica var. lactea		L'Eclatante	
siberica var. orientalis		Mme. Bollet	50c
Snow Queen		Mme. Crousse	60c
Superba		Mme. Emile Lemoine	50c
KNIPHOFIA		Mrs. Key	
LAMIUM *maculatum		Primevere	50c
*maculatum album		Rubra Triumphans	
		_ Late	
*LEONTOPODIUM alpinum		Eugene Verdier	
LIATRIS spicata		Fragrans	50c
LILIUM auratum 30	0c	Le Cygne	75c
canadense	•	Livingstone	50c
	0c	Louis Van Houttei	50c
philadelphicum		Marechal Vaillant	5Uc
regale		Solange	ээс
tigrinum		PAPAVER *nudicaule (mixed)	
LINUM *flavum		orientale (hybrids)	
*perenne		Crimped Beauty	
LOBELIA cardinalis		Immaculata Jennie Mawson	
cardinalis Queen Victoria		Orange Queen	
siphilitica		Perry's White	
LYCHNIS *alpina		Princess Ena	
chalcedonia carnea		Royal Scarlet	
Coronaria		PARDANTHUS—See Belamcanda	
Coronaria alba			
Viscaria splendens		PENTSTEMON *caeruleus	
MONARDA didyma		Digitalis * -l - l	
fistulosa	_	*glaber Torreyi	
*MUEHLENBECKIA nana30	0c	*Blue Gem	
*MYOSOTIS dissitiflora "Perfection"			
*NEPETA Mussini		PHALARIS arundinacea variegata	
*NIEREMBERGIA rivularis		PHLOX *amoena	
OENOTHERA fruticosa major		*divaricata Laphamii	
		*ovata caroliniana	
PAEONIA Forly Variation		*subulata *subulata Vivid	
Early Varieties	n _c	*subulata alba	
Agnes Mary Kelway50 Mme. Auguste Dessert5		*subulata lilacina	
Mme. de Verneville50	Oc.	suffuticosa Miss Verboom	
Mme. Jules Dessert50		Named Hybrids	
WITHE THES DESSELL	74	Named Hybrids	

PERENNIALS—Continued

ALL PLANTS 25c EACH EXCEPT AS NOTED

*ROCK GARDEN PLANTS

NEW VARIETIES IN ITALICS

Scientific Name	Scientific Name
PHLOX—Cont'd	SEMPERVIVUM *Albertii
Commander-in-Chief	*arachnoideum
Enchantress	*globiferum
Europa	*soboliferum
Jeanne d'Arc	*tectorum
Johnson's Favorite	SENECIO clivorum, "Othello"
Jules Breton	SIDALCEA candida
Orchid Queen	*SILENE Schafta
Rheinlander	*STACHYS lanata
Widar	STATICE latifolia
W. Kesselring	coccinea
PHYSALIS Francheti	STOKESIA cyanea
PHYSOSTEGIA virginica	cyanea alba
PLATYCODON grandiflorum (blue)	THALICTRUM *adiantifolium
grandiflorum alba	aquilegifolium
grandiflorum Mariesii,	glaucum
POLEMONIUM *caeruleum "Prima Donna"	minus saxatile
Richardsonii	THERMOPSIS caroliniana
*POTENTILLA Macnabiana	THYMUS *citriodorus
PRIMULA *Auricula (hybrids mixed)	*citriodorus aureus
*cortusoides	*serpyllum comosus
RANUNCULUS repens pleniflorus	*serpyllum lanuginosus
RUDBECKIA laciniata	TRADESCANTIA virginiana
purpurea	TRADESCANTIA virginiana rosea
subtomentosa	TROLLIUS *europaeus
SALVIA azurea	*europaeus Orange Prince
*SANTOLINA incana	*Ledebouri50c
*SAPONARIA ocymoides	TUNICA Saxifraga
SAXIFRAGA *cordifolia	*Saxifraga alba
*hybrida "Carpet of Flowers"	VALERIANA officinalis
SCABIOSA caucasica	VERONICA amethystina
japonica	*incana
SEDUM*acre	Maritima subsessilis
*album	*pectinata rosea
*altissimum	*repens
*anglicum	spica t a
*arboreum	*Teucrium
*dasyphyllum	*Teucrium prostrata nana
*lydium	*Teucrium prostrata nana rosea
*Middendorf fianum	*Teucrium rupestris
*rupestre Forsterianum	*Trehani
*murale	*VINCA minor—see Broad Leaved Ever-
*nicaense	greens
*oreganum	VIOLA *Apricot Queen
*rupestris	*cornuta G. Wermig
*sarmentosum	*Jersey Gem
*sexangulare	*lutea splendens *mixed
*Sieboldii	*odorata Rosina
*spectabile	*Royal Gem
*stoloniferum *tenuifolium	YUCCA see Broad Leaved Evergreens
	· · · · · · · · · · · · · · · · · · ·
Three of any	25c variety 60c
Fifty plants, your selection,	at least 3 of a variety \$ 9.00
One Hundred " " "	18.00
OILO IIMILATOA	

One Hundred " " " " " " " 18.00

THE BARNES BROS. NURSERY CO., YALESVILLE, CONN.

ROSES

The Rose "Queen of Flowers" has always been held in high esteem by man down through the years. This family has had more individual attention from a horticultural standpoint than any other. As a result, varieties in many colors and types of growth are available in ever increasing numbers. We have the reputation for the QUALITY of our Roses, of which we are very proud.

Many people seem to have difficulty in raising good Roses, and with first class stock as a basis, we believe much of the difficulty is in the planting and care. We want you to succeed with and enjoy your Roses to the utmost. Therefore, instead of discussing the different varieties, we are giving you quite explicit directions as to the planting and care of the various classes.

Generally speaking, Roses prefer good soil, good drainage and a sunny position. They must be fed, sprayed and given reasonable care. In preparing the bed, spread a generous coating of natural manure and spade in as deeply as possible. Bone meal at the rate of 15 lbs. per 100 sq. ft. thoroughly worked into the soil, spring and fall will give excellent results. A few pounds of land plaster will help sweeten the soil.

Being heavy feeders, Hybrid Tea and Hybrid Perpetual Roses should be planted by themselves, where soil may be fertilized and cultivated as it should be. As to the planting season in this section, we feel that fall is as good if not a better time to plant all types. In fall the plants are freshly dug and the roots take hold at once. Fall plants are usually ready for transplanting from October 15th to December 1.

Hybrid Tea or Everblooming Roses should be planted at least 18" apart each way. Set Rose so that union of stub and canes is one to one and one half inches below ground level. Great care must be taken that the roots are spread out; not crowded into a small hole. Remove all but three or four strongest canes and trim about 6". Hill up soil about plant as high as possible. After ground is frozen, mulch hollows with leaves or other material available. We prefer marsh hay as it is clean, does not pack and is easily kept in place. These directions apply to established plantings also.

In spring planting, set the plants the same way and hill up dirt for a week or two to prevent excessive drying of canes by the wind, and to give roots an opportunity to become established. The lack of this one step in planting will account for a major share of the losses sustained by Rose lovers. In July, Roses take a short rest and if one will cut back the extra long new canes, they will be rewarded with much extra bloom in fall.

In established or fall planted gardens one should not be hasty in removing protection in spring. Work over the mulch allowing it to dry out gradually. When danger of frost is over, remove mulch and level off the bed. Thin out all dead wood and weak canes. Trim each cane to two buds.

Hybrid Perpetuals take exactly the same treatment as above except in pruning and the planting distance. Place Perpetuals 3 feet apart each way. The first year after planting do not expect too much of Perpetuals as they must make considerable new wood before blooming well. If one prefers a low bush, trim back to $1\frac{1}{2}$ ft in fall. In spring cut back dead wood and trim to six buds or approximately 12''. For tall plants cut back to two feet in fall and 18'' the following spring. With old plants one will have to use discretion as old plants grow very tall, the best way to bring them back to normal condition is by removing some of the oldest wood clear to the ground each year. This should be done immediately after flowering. New canes should spring up from the ground. Make all cuts 1/8'' in front of a bud.

ROSES-Continued

Polyantha and Rugosa Roses require little trimming other than to remove dead wood each year. Winter mulch Polyantha as for Hybrid Teas. Rugosa types require no winter mulch. Polyanyha Roses are dwarf growing and should be used for bedding or borders. Plant 18" apart. Rugosa types should be planted at least three to four feet apart. Fertilize as for Hybrid Tea Roses.

Climbing Roses offer two types. Strong growing called Ramblers and medium growing or Pillar. Plant both types six feet apart or individually. Pillar type is best where area to be covered is limited. Plenty of fertilizer should be used with both but winter mulch is not necessary. The amount of trimming will depend upon the use of the plant. When used as a dense coverage only straggling shoots and dead wood should be removed and this may be done any time during the year. If one desires more heavy, long stemmed bloom, cut the old brown canes immediately after blooming. Tie canes as they develop. Pillar types require only the removal of stragglers and dead wood in spring.

The next important step is to start spraying immediately when the leaves appear. The same rules for spraying apply to all Roses. Keep the foliage protected, and the numerous pests will stay away. Aphis and Rose Bugs may be kept away with a solution of Black Leaf 40, one teaspoonful per gallon of water. One ounce of dissolved soap will help its adhering qualities. Aphis seldom attack any but the new, succulent tips, therefore it is easier and more thorough to wash the tips in the solution held in a shallow container. This method actually removes Aphis from the plant rather than killing by contact. Watch the new growth and common sense will determine when to act. If troubled with discolored spots or mildew on the leaves, apply Bordeaux Mixture, $2\frac{1}{2}$ ounces per gallon of water. Flowers of Sulphur will take care of mildew also. Fill a cloth bag and rap lightly with a stick so that powder falls on leaves. This is best applied in the morning when dew is on. Rose bugs seem to prefer the blooms on which to feed and the old remedy of knocking the bugs into a pan of kerosene, still seems the best method.

Roses require plenty of water at blooming time. Set up hose or sprinkler, and allow it to run for a considerable time in one place until ground is thoroughly wet. Continue until entire bed has been covered. Frequency will depend on season and local conditions. Water in the morning, NEVER in the evening, if you would avoid mildew.

Assuming that plants have been properly cared for, many still fail to secure good bloom, either in size or quality. Here is a good tip which may help. When picking bloom observe whether leaves below flower have three or five leaflets. Cut so that there are two leaves of five leaflets each left on stalk. If Rose is not strong enough to produce leaves with five leaflets, then it is not strong enough to produce good bloom. By cutting in this manner, plant produces more and better flowers. Try it this coming season and compare results.

Now that you have all this data before you, there should be no fear in planting any amount of Roses.

As a special inducement, perhaps to try again or to make a first beginning we are making a special offer as follows:

SPECIAL OFFER ANY 10, SIXTY CENT ROSES FOR \$5.00

(We reserve the right to substitute the nearest variety in case of shortage.)

ROSES—Continued

HYBRID TEA AND PERNETIANA EVERBLOOMING

All 2-Year Budded Stock; 60c Each except as noted

A	Danier autori
Aspirant Marcel Rouyer	_
Betty	
Betty Uprichard	_
Caledonia	
Charles K. Douglas	
Charles P. Kilham	_
Columbia	
Duchess of Wellington	
Edel	·
Edward Mawley	
Etoile de France	
Etoile de Holland	•
Francis Scott Key	
Frank W. Dunlop	
General MacArthur	
Golden Ophelia	
Gruss an Teplitz	
Jonkheer J. L. Mock	-
Kaiserin Augusta Victoria	
Killarney Queen	Pink
Killarney Dble. White	
Lady Alice Stanley	
Lady Pirrie	Coppery-fawn
Mme. Butterfly	Light pink
Mme. Caroline Testout	Satiny rose
Mme. Edouard Herriot	Orange-red
Mme. Jules Bouche	Blush-white
Mme. Leon Pain	Salmon-pink
Mrs. Aaron Ward	Gold and pink
Mrs. A. R. Waddell	Bronze-pink
Mrs. Calvin Coolidge	Buff-yellow
Mrs. Charles Bell	
Mrs. Henry Morse	"
Mrs. Erskine P. Thom	
Ophelia	
Padre	
President Herbert Hoover	* *
Radiance	•
Red Radiance	
Rev. F. Page Roberts	
Souvenir de Claudius Pernet	

5-50 of a variety deduct 10% 50-100 of a variety deduct 20%

ROSES—Continued

Souvenir de Georges Pernet	Orange pink
Talisman	Copper red
Wilhelm F. Kordes	Golden fawn, orange pink
William F. Dreer	Golden salmon
Willowmere	Pink
	POLYANTHA
	All 60c Each
Ellen Poulsen	
Ideal	Velvety crimson
Miss Edith Cavell	Semi-dble. scarlet white eye
Mme. Norbert Levavasseur	Crimson
Orleans	Geranium pink, white center
Triomphe Orleanais	Cherry red, white center
1	HYBRID PERPETUAL
	All 60c Each
Alfred Colomb	Light crimson
Captain Hayward	
Earl of Dufferin	Velvety crimson
Everest	Ivory white80c
Frau Karl Druschki	
General Jacqueminot	Scarlet
George Ahrends	
George Dickson	Dark red
J. B. Clark	Red, shaded maroon
Magna Charta	
Margaret Dickson	White, rose center
Marshall P. Wilder	
Mme. Albert Barbier	
Mrs. John Laing	Clear pink
Paul Neyron	Lilac rose
Prince Camille de Rohan	Dark crimson
Soleil d'Or	Orange, gold and pink
Ulrich Brunner	Carmine red
	CLIMBING
	All 50c each
Alida Lovett	Shell pink, semi-dble.
American Pillar	
Aviateur Bleriot	
Breeze Hill	
Christine Wright	
Climbing American Beauty	
Climbing K. A. Victoria	
Crimson Rambler	

5-50 of a variety deduct 10% 50-100 of a variety deduct 20%

ROSES—Continued

CLIMBING

	0131111201110
Dorothy Perkins	Shell pink
	White
Dr. Huey	Dark red
Dr. Van Fleet	Pale pink
Emily Gray	Golden buff, semi-dble.
Eugene Jacquet	Carmine
Excelsa	
Flower of Fairfield	Red, white base
Gardenia	Orange yellow
Jacotte	Apricot
Marie Gouchault	Salmon rose
Mary Lovett	Waxy white
Mary Wallace	Bright pink
Mme. Gregoire Staechelin	Delicate pink
Paul's Scarlet Climber	Scarlet
Primrose	Yellow
Rosarie	Deep pink
Shower of Gold	Golden yellow
Silver Moon	White
Star of Persia	Yellow
Tausendschon	Cream white to rose
W. C. Egan	Double pink
	HYBRID RUGOSA
	All 60c Each
Bergers Erfolg	
Blanc Double de Coubert	
F. J. Grootendorst	Bright red
Hansa	
Pink Grootendorst	Pink
Rosarie de l'Hay	
Sarah Van Fleet	Pink
Sir Thomas Lipton	White
	SPECIAL
	All 60c Each
Rosa blanda	Pink
Rosa hugonis	
Persian Yellow	
Rosa rugosa	
Rosa setigera	
Rosa Wichuriana	
reod widiumana	······································

5-50 of a variety deduct 10% 50-100 of a variety deduct 20%

FRUITS

In times like these, when each of us must figure carefully where our money is to be spent and where we can get the greatest value for each dollar, we, as a nursery, are led to ponder why more home owners do not invest a little of their money in small fruits for home use.

Contrary to general opinion, it is not difficult to raise the various fruits. Many have neglected to plant them because of the trimming and spraying involved. The average soil in this section is producing excellent fruits. Trimming of trees is simple for the main points involved are the removal of cross branches to keep growth of the tree open, letting in the sun and air, and the removal of sucker growth on trunk and branches. To be sure fruit trees have to be sprayed for good clean fruit, but there are many good sprays available and they can be obtained in such small quantities that the expense is very little. Extensive spraying equipment is not necessary and the average small home sprayer is entirely adequate. Any good nurseryman from whom you purchase material will gladly advise you how to plant and care for fruits.

Fruit trees have an aesthetic value as well as an economic one. They are fine for shade and as beautiful in flower and fruit as any ornamental tree can hope to be. From the purchaser's standpoint, they are more reasonable and yield some concrete return on the investment. An apple or two, a peach, plum or cherry, placed here and there about the yard will pay good dividends on the first yield even though one has to wait a few years for them to develop. There are many dwarf varieties now available, which begin to bear within two years after planting. They can be planted closely and take up little room.

Set aside a small space for a grape or two, which by the way, is one of the finest vines for a screen, trellis or pergola. It will give a fine fresh delicacy for the table.

A few plants of the different berries will furnish all the fresh fruit one can use and bring a return at once. After all there is no fruit quite like the fresh fruit that may be picked in one's own garden.

For many years The Barnes Brothers Nursery Company has been a national headquarters for fruit trees. Raised in our difficult northern climate, the trees succeed well in any section of the country. You will make no mistake in purchasing our stock, and we are willing and able to give full directions as to how to secure results.

We advise you to look over our list carefully and discover for how small a sum you may secure a small home orchard this spring.

Make up an assortment, send in your order and any questions that bother you, and we will take care of you promptly and well.

FRUIT TREE COMBINATION

One each any STANDARD Apple, Pear, Plum, Peach and Cherry of the largest size 2 year stock Price \$2.35

MIXED FRUIT COMBINATION

MIXED SMALL FRUIT COMBINATION

First Choice

Second Choice

Any one Grape (except Caco) any Blackberry 5, and Raspberry 5 (except Columbian) Asparagus 2 yr., Rhubarb one root.. Price \$1.95

APPLES

All trees examined by Dr. J. K. Shaw of the Mass. Fruit Growers' Association for trueness to name.

SUMMER

Standard

Duchess of Oldenburg
Early McIntosh
Gravenstein
Lodi
Yellow Transparent

Standard & Dwarf

Red Astrachan Red Gravenstein

AUTUMN

Standard

Fameuse or Snow Fall Pippin Milton Newtown Pippin Opalescent Wealthy Standard & Dwarf

McIntosh Pound Sweet

WINTER

Standard

Jonathan
King
Macoun
Medina
Red Spy
Rome Beauty
Stayman Winesap
Tolman Sweet
Wagener
Richared

Standard & Dwarf

Baldwin
Cortland
Delicious
Northern Spy
Rhode Island Greening
Roxbury Russet

CRAB APPLES

Hyslop

Transcendent

PRICES

Stand	ard Each	10	100
2 yr. 11/16 in and up, 5-7'		5.00	40.00
2 yr. 9/16-11/16 in. 4-6'		4.00	30.00
2 yr. 7/16-9/16 in. 4-5'		3.00	20.00
1 yr. 4-5'		4.00	30.00
1 yr. 3-4'		3.00	20.00

DWARF

2 yr. 5/8 in. and upEach .85; 10, \$7.65

RICHARED DELICIOUS

(One and Two-Year Trees Available

	1-11	12-24	25-49	50-99	100-399
	each	each	each	each	each
5-7'	\$1.00	\$.80	\$.65	\$.55	\$.50
4-5'	.90	.75	.50	.50	.45
3-4'	.85	.70	. 55	.45	.40

APPLES—Continued

Quantity prices apply only when a quantity of one variety and size is ordered. 5 of a variety and size at 10 rate; 50, at 100 rate; 300 at 1,000 rate. 1,000 lot prices on request.

CHERRIES

Standard Only. Mazzard roots.

Standard Omy. Mazzard	10000		
Sour Early Richmond English Morello Montmorency	Swe Bing Black Tark Governor Napoleon Schmidt's Seneca Windsor	tarian Wood Bigarreau	
	Yellow Sp.	anish	
PRICES	Each	10	100
11/16 in. cal. and up 5-7'	\$.65	\$5.00	\$35.00
9/16-11/6 in. cal. 4-6'	.50	4.00	25.00
7/16-1-9/16 in. cal. 3-4'	.40	3.00	15.00
PEACHES			
Belle of Georgia	Hiley		
Brackett	Iron Moun	ntain	
Carman	I. H. Hale		

Belle of Georgia	Hiley
Brackett	Iron Mountain
Carman	J. H. Hale
Champion	Late Crawford
Crosby	Lizzie
Cumberland	Mountain Rose
Early Crawford	Nectar ,
Early Elberta	Old Mixon
	

Early Crawford

Early Elberta

Colden Jubilee

Nectar

Old Mixon

Radiance

Rochester

Greensboro Stump of the World

PRICES				
•	Each	10	100	
9/16 in. cal. 4-6'	\$.45	\$4.00	\$30.00	
7/16 in. cal. 3-4'	.35	3.00	20.00	

5 of one variety and size at 10 rate 50 " " " " 100 " 300 " " " " 1000 "

Quantity prices apply only when a quantity of one variety and size is ordered.

PEARS

Standard Anjou Beurre Bosc Beurre Clairgeau Duchesse d'Angouleme Kieffer Lawrence Wilder Early	Standard Bartlett Clapp's Fa Seckel		
PRICES			
Standard Standard	Each	10	100
11/16 in. cal. and up, 5-7'	\$.60	\$5.00	\$40.00
9/16-11/16 in. cal., 4-6'	.50	4.00	30.00
1/2-9/16 in. cal., 3-4'	.40	3.00	20.00
DWARF			
2 yr. 5/8 in. in cal., 4-5'	Each, 70c;	10, \$6.50	
5 of one variety and size 50 " " " "			

Quantity prices apply only when a quantity of one variety and size is ordered.

300 "

" " 1000

PLUMS

Japanese Va Abundance Burbank Satsuma Wickson	arieties	European Bradshaw Fellemberg German Pr Lombard Reine Clau Shropshire	une de	
	PRICES			
t		Each	10	100
11/16 in. cal. and up,	, 5-7'	\$.60	\$5.00	\$40.00
9/16-11/16 in. cal.,	4-6'	.50	4.00	35.00
7/16-9/16 in. cal.,	3-4'	.40	3.00	25.00
	5 of one variety and size at 50 " " " " " "	100 "		
	300 " " " " " " "	1000 "		

Quantity prices apply only when a quantity of one variety and size is ordered.

QUINCES

Champion Orange

P	D	П	TO.
-	\mathbf{n}	ı	171.

	Each	10	100
9/16 in. cal. and up, 4-5'	\$.60	\$5.50	\$40.00

ASPARAGUS

Mary	Washington—l yr.	roots:		100,	\$1.50	1000,	\$10.00
	2 yr.	roots:	25, \$1.00	100,	3.00	1000,	20.00

GRAPES

All 2 Yr. Stock

	PRICES		
•	Each	10	100
Brighton	\$.40	\$3.50	\$30.00
Caco	.50	4.50	
Campbell's Early	.30	2.50	20.00
Concord	.25	2.00	15.00
Delaware	.30	2.50	20.00
Green Mountain	.30	2.50	20.00
Moore's Early	.30	2.50	20.00
Niagara	.30	2.50	20.00
Worden	.30	2.50	20.00

BLACKBERRIES

PRICES

	THEES		
Eldorado	10,	\$.45	
Mersereau	100,	4.00	
Snyder	1000,	35.00	
Lucretia (Dewherry)			

RASPBERRIES

PAIC			
	10	100	1000
Columbian	\$.90	\$8.00	\$75.00
Cuthbert	.45	4.00	35.00
King	.45	4.00	35 .0 0
Latham	.45	4.00	35.00
Plum Farmer	.45	4.00	35.00
St. Regis Everbearing	.45	4.00	35.00

STRAWBERRIES

Brandywine	Senator Dunlap
Chesapeake	William Belt
Gibson	Champion)
Glen Mary	Mastodon { Everbearing
Howard 17	Progressive)
Marshall	

PRICES

25 — \$.80 100 — 2.00 1000 — 12.00

RHUBARB

MULBERRIES—see Morus alba tatarica Page 12.

NUT TREES—see Juglans Page 11.

LAWN SEED AND FERTILIZER

Recently people have come to realize the major importance of a good lawn in completing the landscape setting. This has been the direct cause of much research in regard to lawn building and care and the proper seed and fertilizer.

We have had so many requests for data and materials for this work, that we have added an excellent line of LAWN SEED and FOOD.

We shall be glad to advise you about your problems by letter, or better call at the nursery where we can talk the matter over. Data, which gives complete information as to building and care of lawns, may be had for the asking.

We are concentrating on O. M. SCOTT & SONS products, which we find by actual experience to be of a high standard and in which you may safely place complete confidence.

SCOTT'S LAWN SEED AND TURF BUILDER PARCEL POST OR EXPRESS PREPAID.

Regular Mixture

Suitable for open, sunny lawns. Contains mostly Kentucky Blue with some mixed Bent, Redtop & Fescue.

90% plus Purity and Germination.

1	lb.		\$.55
10	66		4.75
100	66	•••••	40.00

Shady Mixture

Special mixture of shade tolerant grasses, mostly Poa Trivialis.

1	lb.	•••••	\$.70
3	66	•••••	2.00
5	46	•••••	3.25
10	66	•••••	6.00
25	66	••••••	14.50
50	66		27.50

Bent Seed

For seeding new or reseeding established lawns. Makes a very fine turf.

90% Plus Purity and Germination.

1	lb.	***************************************	\$1.40
3	66		4.00
5	66		6.50
10	66		12.50

Larger quantities \$1.20 per lb.

Creeping Bent Stolons

Chopped roots and runners which are used instead of seed. Ready to apply. Sold on basis of planting area.

For	500	sq.	ft.	of	planting	area	\$10.90
For	1,000	66	66	66	66	66	17.50
For					up, per		
	sq. f	t	•••••	•••••	•••••	•••••	16.00

Apply seed at the rate of 5 lbs. per 1,000 sq. ft. for new work; one-half that amount for reseeding.

SCOTT'S TURF BUILDER

TURF BUILDER is a special food for lawns. Because of its high concentration it goes twice as far as ordinary plant foods. Use only 10 lbs. per 1,000 sq. ft. on established lawns, per application. Apply April, May and September. New lawns require 20 lbs. when preparing seed bed. Full directions in each bag. An extra application in midsummer is recommended for shady places.

TURF BUILDER

25	lb.	bag	••••••	\$	2.00
	66		•••••		
100	66		•••••		6.00
500	66	66	***************************************	9	25.00

INDEX

EVERGREEN TREES

COMMON NAME	SCIENTIFIC NAME · PAGE
ARBORVITAE	THUYA
American	occidentalis3
Columbia	occ. Columbia
George Peabody	
Globe	occ. globosa
Golden Tipped	
Hovey's	
Oriental	
Parson's Dwarf	•
Pyramidal	Pylin
Pyramidal, Compact	· Pyleness I
Rivers	·
Rosenthal	
Siberian	
Siberian, Golden	
Spiral	. occ. spiralis 3
Standish	. Standishii 3
Tom Thumb	. · occ. Ellwangeriana 3
Vervaene	~~~
CYPRESS	CHAMAECYPARIS (Retinospora)
Cripp's Golden	. obtusa Crippsii 2
Football	. obtusa compacta 2
Hinoki, Dwarf	ob. magnifica
Hinoki, Slender	. ob. gracilis
Plume	nisifera plumosa 2
Plume, Golden	· Passassi I ass
Sawara	pisifera 2
Sawara, Golden	
Cil Ti	
Silver Tip	nis. filifera 2
Thread	· Part against the state of the
Thread, Golden	· Part and a second
Veitch Moss	. Pari Salaman in the
Young's Golden	. ob. Youngii2
JUNIPER	JUNIPERUS
Burk's	virginiana Burki 2
Chinese	chinensis 2
Chinese, Conical	
Column	
Golden Common	
Greek, Spiny	
Irish	
Japanese	
Keteleer	
Meyer's	
Needle	
Pfitzer's	
Polish	
Red Cedar	
Savin	
Savin, Blue Creeping	Sabina tamariscifolia 2
Savin, Creeping	horizontalis 2
Silver	

EVERGREEN TREES—Continued

COMMON NAME	SCIENTIFIC NAME PA	GE
FIR	ABIES	
Balsam	balsamea	2
Fraser's	Fraseri	2
Nikko	homolepis	2 2
White	concolor	2
HEMLOCK	TSUGA	
Canadian	canadensis	3
Ground	See Taxus canadensis	3
PINE	PINUS	
Austrian	austriaca	3
Black, Japanese	Thunbergii	3
Jack	Banksiana	3
Mugho	montana mughus	3
<u>Red</u>	resinosa	3
Red, Japanese	densiflora	3
Scotch	sylvestris	3
White	strobus	3
Yellow, Western	ponderosa	3
	PICEA	
Alberta, Dwarf	glauca conica	2
Colorado	pungens	2
Koster's, Blue	pungens Kosteriana	2
Norway	excelsa	2
White	canadensis (alba)	2 2 2 2 3
	TAXUS	3
English, Spreading	baccata repandens	3 3
Ground Hemlock	canadensismedia Hicksii	_
Japanese, Dwarf	cuspidata nana (brevifolia)	3
Japanese, Spreading	cuspidatacuspidata	3
Japanese, Upright	cuspidata capitata	3
BROADLEAVED		
Adam's NeedleY	vucca filamentosa	6
Andromeda, Drooping	eucothoe Catesbaei	6
Andromeda, Japanese	Pieris japonica	6
Andromeda, MountainF	Pieris floribunda	6
Bittersweet, Evergreen	Luonymus radicans vegetus	6
Christmas Rose	Helleborus niger	6
Daphne, Rose		6.
Heath, MountainL	eiophyllum bux. prostratum	6
Heather	Calluna vulgaris	6
Holly, JapaneseI	lex crenata	6
Hollygrape, Oregon	Iahonia Aquifolium	6
Laurel, Mountaink	Kalmia latifolia	6
Leucothoe, DroopingI		6
Periwinkle, Common		6.
Rhododendron, CarolinaF	Anododendron carolinianum	6.
Rhododendron, Catawba	chododendron catawbiense	6
Rhododendron, Rosebay	oiophyllum hurifolium	6
Spurge, JapaneseF	Pachysandra terminalis	6 6
- Opar 50, Jupan 030	adity satisfied to Hillinais	Us

VINES

COMMON NAME	SCIENTIFIC NAME PAGE	GE
Wintercreeper	Euonymus radicans	6
Wintercreener Rahy	Luonymus radicans minimus	6
Wintercreener Bigleat	Luonymus radicans vegetus	6
Wintercreeper, Glossy	Euonymus radicans Carrierei	6
VI	NES	
D A .	Calactura coordons	7
Bittersweet, American	Coloctrus orbiculatus	7
Bittersweet, Oriental	Clamatic tangutica	7
Clematis, Golden	Clamatic paniculata	7
Creeper, Virginia	Ampelansis quinquefalia	7
Dutchman's Pipe	Aristolochia Sinho	7
Honeysuckle, Hall Japanese	Lonicera japonica Halliana	8
Honeysuckle, Trumpet	Lonicera sempervirens	8
T D.	Amnolongie fricilenidata	7
Ivy, Boston	Hedera helix	8
Matrimony Vine	Evelum eninense	8
Reco Memorial	Kosa Wichuriana	8
Trumpetcreener Scarlet	.bignonia radicans	7
Wintercreener	Euonymus radicans	8
Wintergrouper Righest	Ellonymus radicans vegetus	8
Wistoria Chinese	Wisteria sinensis	8
Wisteria, Longcluster	Wisteria multijuga	8
DECIDUO	US TREES	
Ash, European	Fraxinus excelsior	11
Ash, White	Fraxinus americana	11
Rivel Canac	. Betula papyritera	11
Rirch European White	Betula alba	11
Rirch Cray	Betula populitolia	11
Birch Paper	.Betula papyritera	11
Birch, Weeping White	Betula laciniata pendula	11
Birch, Yellow	Betula lutea	11 11
Box Elder	Acer Negundo	11
Butternut	Jugians cinerea	11
Catalpa, Western	Prunua jananiaa	12
Cherry, Chinese Bush	Prunus sarrulata Kanzan	12
Cherry, Pink Canton	Prunus serrulata rosea	12
Cherry, Naden	Prunus serrulata Naden	12
Cherry, Weeping Japan	Prunus subhirtella pendula	12
Chestnut Spanish	.Castanea sativa	11
Crah Arnold	.Malus Arnoldiana	12
Crah Carmine	. Malus atrosangumea	12
Crah Cherry	. Malus prunitolia robusta	12
Crab Dr Van Fleet	.Malus Dr. Van Fleet	12
Crah Elev	. Malus purpurea Eleyi	12
Crab, Hopa	.Malus Hopa	12
Crab, Japanese Flowering	.Malus floribunda	12
Crab, Prairie	.Malus numpures	12 12
Crab, Purple	Malus purpurea	12
Crab, Redvein	Malus Sargentii	12
Crab, Sargent	Malus baccata	12
Crab, Tea	Malus theifera	12
Crab, Tea	Malus Sieboldi	12
Cucumber Tree	.Magnolia acuminata	12
Cucumbor 1100		

DECIDUOUS TREES

COMMON NAME	SCIENTIFIC NAME P	PAGE	
Dogwood, Red Flowering	Cornus florida rubra	. 11	
Dogwood, White Flowering	Cornus florida	. 11	
Elm, American	Ulmus americana	12	
Elm, Chinese	Ulmus pumila	. 12	
Elm, English			
Elm, Moline	Ulmus americana Moline		
Elm, Scotch			
Elm, Siberian			
Goldenrain-tree			
Hawthorn, Dble. White English			
Hawthorn, Paul's Dble. Scarlet			
Hawthorn, Washington			
Honeylocust			
Horsechestnut, Common			
Judas-tree			
Larch, Japanese	Larix leptolepis	11	
Linden, American			
Linden, Common			
Magnolia Lenne			
Magnolia, Saucer			
Magnolia, Umbrella			
Magnolia, Yulan			
Maple, Ash-leaf			
Maple, Japanese Green			
Maple, Japanese Red			
Maple, Norway			
Maple, Schwedler			
Maple, Silver			
Maple, Sugar			
Maple, Wier Cut-leaf	Acer dasycarpum Wieri	11	
Mountain-ash, American			
Mountain-ash, European			
Mulberry, Russian			
Mulberry, Tea's Weeping	Morus alba pendula	12	
Plane-tree, European	Platanus orientalis	12	
Plum, Purpleleaf			
Poplar, Carolina			
Poplar, Lombardy			
Redbud		11	
Tulip-tree			
Umbrella-tree			
Varnish-tree			
Walnut, Black			
Walnut, English			
Walnut, Japanese	Juglans Sieboldiana	11	
Willow, Babylon Weeping	Salix babylonica	12	
Willow, Goat			
Willow, Golden	Salix vitellina	12	
Willow, Kilmarnock			
Willow, Laurel			
Willow, Purple Osier	Solin Coproc	12	
Willow, Pussy			
Willow, Thurlow Weeping		12	
Almond, Flowering			
Alliboo	rrunus giandulosa	18	
AltheaAralia, Fiveleaf			
rana, i ivereal	pentapnynum	10	

FLOWERING SHRUBS

COMMON NAME	SCIENTIFIC NAME PAGE	E
Arrowwood	.Viburnum dentatum19	Q:
Azalea, Flame		
Azalea, Piedmont		
Azalea, Pinkshell		
Azalea, Sweet		
Azalea, Torch		
Barberry, Box		
Barberry, Japanese	Berberis Thunbergii	
Barberry, Pratt		
Barberry, Redleaf	Berberis Thunbergii atropurpurea 10	
Beautybush, Chinese	. Kolkwitzia amabilis 1	
Black Alder		
Blueberry, Highbush		
Bridalwreath, Korean	Spiraea trichocarpa	
Burningbush, European	Euonymus europaeus 10	
Butterflybush	Buddleia Davidi Veitchiana 10	
Butterflybush, Hardy		
Butterflybush, Juno		
Chokeberry, Black		
Chokeberry, Red	.Aronia arbutifolia 10	
Cinquefoil, Shrubby	.Potentilla fruticosa	
Clover, Purple Bush		
Coralberry		8.
Cotoneaster, Diel	. Cotoneaster Dielsiana 16	6
Cotoneaster, Rock	.Cotoneaster horizontalis 10	6
Cotoneaster, Spreading		6
Cotoneaster, Wilson		6
Cranberrybush, American	.Viburnum americanum 19	9
Cranberrybush, Dwarf	.Viburnum Opulus nanum 19	9
Cranberrybush, European		9
Deutzia, Lemoine		6
Deutzia, Shellpink		6
Deutzia, Slender		
Elder, Cutleaf		_
Elder, Golden		
Dockmackie	.Viburnum acerifolium19	
Dogwood, Chinese Flowering	.Cornus Kousa 16	
Dogwood, Goldentwig		
Dogwood, Red Branched		
Dogwood, Red Osier		
Dogwood, Silky		
Enkianthus, Redvein		
Euonymus, Yeddo		
Forsythia, Border	Forsythia intermedia	
Forsythia, Fortune	Forsythia suspensa Fortunei	
Forsythia, Greenstem		
Forsythia, Showy Border		
Forsythia, Weeping	Forsythia suspensa	
Goldenbell		
Globe Flower		
Honoroughla Broadblusleef		
Honeysuckle, Broadblueleaf		
Honeysuckle, Manchurian		
Honeysuckle, Morrow		
Honeysuckle, Red Tatarian	Diervilla sessilifolia 16. Lonicera tatarica rubra	
Honeysuckle, White Tatarian		
Honeysuckle, Winter		
Hydrangea, Snowhill	Hydrangea arborescens grandiflora	
Tryarungoa, Showilli	rrydrangea arboreseens grandmora 1	ı

FLOWERING SHRUBS—Continued

COMMON NAME	SCIENTIFIC NAME	PAGE
Hydrangea, Peegee	. Hydrangea paniculata grandiflora	17
Indigobush	.Amorpha fruticosa	16
Jethead	.Rhodotypos kerrioides	18
Kerria		
Kerria, White	Rhodotypos kerrioides	18
Lilac, Common Purple		
Lilac, Common White	. Syringa vulgaris alba	18
Lilac, Hungarian	.Syringa Josikaea	18
Lilac, Littleleaf		18
Lilac, Persian		
Mint Shrub		
Mock Orange, Big Scentless	Dhiladelphus grandillorus	17
Mock Orange, Double Flower	Philadelphus Avalenche	17
Mock Orange, Garland	Philadelphus acronarius	17
Mock Orange, Garland	Philadelphus coronarius aureus	17
Mock Orange, Gordon	Philadelphus Cordonianus	17
Mock Orange, Gordon	Philadelphus nenalensis	17
Nannyberry	Vihurnum Lentago	19
Ninebark	Physocarnus onulifolius	18
Ninebark, Golden		
Pearlbush		
Pinxterbloom		
Plum, Double Flowering	Prunus triloha	18
Pride of Rochester	Deutzia scabra Pride of Rochester	16
Privet, Amur	Ligustrum amurense	17
Privet, California	Ligustrum ovalifolium	17
Privet, Ibolium	Ligustrum ibolium	17
Privet, Regel	Ligustrum Regelianum	17
Ouince, Japanese	Cydonia japonica	16
Rose of Sharon	Hibiscus syriacus	17
Shadblow, Downy	Amelanchier canadensis	16
Silverbell, Great	Halesia carolina	17
Smoketree	Rhus cotinus	18
Snowball, Japanese		
Snowberry	Symphoricarpos racemosus	18
Spirea, Anthony Waterer	Spiraea Bumalda Anthony Waterer	18
Spirea, Billard		
Spirea, Fortune		
Spirea, Froebel	Spiraea Dumaida Froebell	18
Spirea, Henry	Spirace Recognized	18 18
Spirea, Reeves		
Spirea, Van Houtte		
St. John's Wort	Hypericum	17
Sumac, Fragrant		
Tamarisk, Odessa		
Tamarisk, Purple		
Viburnum, Doublefile	Viburnum tomentosum	19
Viburnum, Fragrant	Viburnum Carlesii	19
Viburnum, Linden		
Viburnum, Mapleleaf	Viburnum acerifolium	19
Viburnum, Siebold	Viburnum Sieboldii	19
Viburnum, Wright	Viburnum Wrightii	19
Wayfaring Tree	Viburnum Lantana	19
Winterberry, Common	Ilex verticillata	17
Witch Hazel	Hamamelis virginiana	17
Withe Rod	Viburnum cassinoides	19
Woadwaxen		
Yellowroot	Zanthorhiza apiifolia	19

PERENNIALS

COMMON NAME	SCIENTIFIC NAME P.	AGE
Alkanet	Anchusa italica yar Dranmara	. 24
Alumroot		
Alyssum, Yellowhead		
Aster, Hardy	Aster (Named varieties)	. 24
Aster, India		
Aster, Italian		
Aster, Japanese	Aster Mauve Cushion	. 24
Aster, Rock	Aster alninus	24
Aster, Stokes	Stokesia cvanea	. 27
Aster, White Stokes	Stokesia cyanea alba	27
Aster, White Upland	Aster ntarmicoides	
Astilbe	Astilhe	. 24
Aubretia, Leichtlin	Auhretia deltoidea Leichtlini	. 24
Auricula	Primula Auricula	. 27
Avens		
Babysbreath		
Balloonflower	Platycodon	. 27
Beardtongue	Pentstemon Digitalis	
Beebalm, Oswego	Monarda didyma	. 26
Bellflower, Carpathian	Campanula carnatica	. 24
Bellflower, White Carpathian	Campanula carpatica alba	. 24
Bellflower, Cup and Saucer	Campanula Madium calveanthama	. 24
Bellflower, Peachleaf	Campanula parsicifolia	
Bellflower, Double Peachleaf	Campanula persicifolia flora plana	. 24
Bellflower, Double White Peachleaf	Campanula persicifalia fi ni alba	. 24
Delliower, Double white reachless	Campanula persicifolia alba	. 24
Bellflower, White Peachleaf	Companyla persicifalia anna differen	. 24
Bellflower, Petticoat	Campanula persiciiona grandinora	. 24
Bergamot, Wild	Stockya langta	. 20
Betony, Woolly	Delamanda chinancia	. 27
Blackberry-lily	Collardia grandifican	. 24 . 25
Blanketflower	Gamardia grandillora	. ∠ວ _ຸ
Bleedingheart	Dicentra spectabilis	. 25
Bleedingheart, Western	Dicentra formosa	. 25
Blistercrest		
Bugleweed	Ajuga genevensis	. 24
Calamint, Arctic	Calamintna aipina	. 24
Camomile, False	DOITONIA ASTEROIGES	. 24
Camomile, Perry	Anthemis tinctoria, Perry's var	. 24
Camomile, Yellow	Anthemis tinctoria	. 24
Campion, Rose	Lycnnis Coronaria	. 26
Campion, Rosepink	Lychnis Viscaria spiendens	. 26
Campion, White		
Candytuft, Evergreen		
Candytuft, Gibralter	1 Deris gibraitarica	. 25
Canterbury Bells	Campanula Medium	. 24
Cardinalflower		
Carnation	Dianthus caryophyllus	. 25
Catchfly	Silene Schaffa	. 27
Catnip		
Centaurea, Globe	Centaurea macrocephala	. 24
Centaurea, Persian	Centaurea dealbata	. 24
Christmas Rose		
Chrysanthemum, Hardy	Chrysantnemum, Named Hardy	24-25
Chrysanthemum, Pyrenees	Onrysantnemum maximum	. 24
Cinquefoil, Macnab	Fotentilla Wacnabiana	. 27
Clematis, Dwarf	Clematis integriiolia	. 25
Clematis, Ground	Clemans recta	. 25

COMMON NAME	SCIENTIFIC NAME	PAGE
Coneflower, Purple	Rudbeckia purpurea	27
Coneflower, Sweet	Rudbeckia subtomentosa	27
Columbine, Alpine		
Columbine, Colorado	Aquilegia caerulea	24
Columbine, Mexican	Aguilegia Skinneri	24
Columbine, White Fan	. Aquilegia flabellata nana alba	24
Coralbells	.Heuchera	25
Coreopsis	Coreopsis lanceolata	25
Cupflower		
Daisy, Globe	.Globularia trichosantha	25
Daisy, Oxeye		
Daylily	Hemerocallis	25
Deadnettle, Spotted	.Lamium maculatum	26
Deadnettle, White Spotted	.Lamium maculatum album	26
Dragonhead, False	Physostegia virginica	27
Edelweiss	Leontopodium alninum	26
Evening-primrose	Oenothera fruticosa major	26
Flax, Golden	Linum flavum	26
Flax, Perennial	Linum nerenne	26
Fleabane, Coulter		
Fleabane, Himalyan	Frigeron multiradiatus roseus	
Forget-Me-Not, Swiss	Myosotic dissitiflora Perfection	26
Foxglove	Digitalie	25
Funkia	Hosta	25
Gaillardia	Caillardia grandiflara	25
Caeplant	Distance fraginalla	40 nr
Gasplant	Lietnia enicate	25
Gayfeather, Spike	Continue Andrewsi	26
Gentian, Closed	Talling among and	25
Globeflower, Ledebour		
Globeflower, Orange Prince	Falinary Di	27
Globethistle, Steel	Leninops Ritro	25
Gloxinia, Hardy	Incarvillea Delavayı	25
Goatflower	. Iunica Saxifraga	27
Goatsrue	Galega officinalis nana rosea	25
Gold, Basket of	.Alyssum saxatile compactum	24
Golden Glow	. Kudbeckia laciniata	27
Goldmoss	Sedum acre	27
Grass, Ribbon	Phalaris arundinacea variegata	26
Groundsel	Senecio clivorum Othello	27
Gypsophila, Creeping	Gypsophila repens	25
Gypsophila, Mouse-ear	Gypsophila cerastioides	25
Harebell	.Campanula rotunditolia	24
Heliopsis, Pitcher	Heliopsis helianthoides Pitcheriana	25
Heliopsis, Zinnia	Heliopsis scabra zinniaeflora	25
Heliotrope, Garden	Valeriana officinalis	27
Hen-and-Chickens	.Sempervivum soboliferum	27
Hollyhock	.Althea rosea	24
Houseleek, Globe	.Sempervivum globiferum	27
Houseleek, Roof	.Sempervivum tectorum	27
Houseleek, Spiderweb	.Sempervivum arachnoideum	27
Indigo, Wild False	.Baptisia australis	24
Inula, Blackbud	.Inula Rovleana	25
Inula, Swordleat	.Inula ensifolia	25
Iris, Crested	.Iris cristata	25
Iris, Dwarf	.Iris pumila	26
Iris, German	.Iris germanica	25
Iris, Intermediate	.Iris intermedia	25
Iris, Japanese	.Iris Kaempferi	25
-		

COMMON NAME	SCIENTIFIC NAME	PAGE
Iris, Siberian	Iris siberica	26
Iris, Yunnan		
Ladder, Jacob's		
Lantern, Chinese		
Larkspur	.Delphinium	25
Lavender-cotton	.Santolina incana	27
Lavender, Sea		
Leopardbane, Caucasian		
Lily, Canada		
Lily, Goldband	Lilium auratum	26
Lily, Madonna		
Lily-of-the-valley	•	
Lily, Orange cup	Lilium philadelphicum	26
Lily, Royal		
Lily, Tiger		
Liverbalsam, Alpine		
Lobelia, Large Blue	Lyphia shaladania arma	26
Meadowrue, Columbine	Thelietum equilegifelium	27
Meadowrue, Dusty	Thelietum minus cavetile	
Meadowrue, Maidenhair		
Michaelmas Daisy		
Monkshood, Autumn		
Monkshood, Azure		
Monkshood, Violet		
Mountain-bluet		
Mugwort, White		
Mullein-pink		
Needle, Adam's		
Painted Daisy		
Pentstemon, Blue		
Pentstemon, Narrowleaf		
Pentstemon, Torrey	Pentstemon Torrevi	26
Peony	Paeonia	26
Periwinkle		
Phlox, Amoena	Phlox amoena	
Phlox, Hardy Garden	.Phlox (Named Varieties)	26
Phlox, Lavender	.Phlox divaricata Laphamii	26
Phlox, Lilac Moss	.Phlox subulata lilacina	26
Phlox. Miss Verboom	.Phlox suffruticosa Miss Verboom	26
Phlox, Mountain	.Phlox ovata caroliniana	26
Phlox. Moss	.Phlox subulata	26
Phlox, Vivid	.Phlox subulata Vivid	26
Phlox, White Moss	.Phlox subulata alba	26
Pink, Cheddar	.Dianthus caesius	25
Pink, Clove	.Dianthus caryophyllus	25
Pink, Grass	.Dianthus plumarius nanus	25
Pink, Maiden	.Dianthus deltoides albus	25
Pink, Brilliant Maiden	Dianthus deltoides Brilliant	25
Pink, Sea	.Armeria	24
Plantainlily, Blue	. Hosta caerulea	25
Plantainlily, Lanceleaf	. Hosta lancifolia variegata	25
Poppy, Iceland	.Papaver nudicaule	26
Poppy, Oriental	Papaver orientale	26
Prairiemallow	.Sidalcea candida	27
Primrose, Bigleaf	Primula cortusoides	27
Pyrethrum	. Unrysantnemum coccineum	24 24
Rockcress	.Arabis	24

COMMON NAME	SCIENTIFIC NAME P.	AGE
Rockfoil	Saxifraga	. 27
Rockrose	Helianthemum	. 25
Rosemallow	Hibiscus moscheutos	. 25
Roundhead	Cephalaria tatarica	. 24
Sage, Azure	Salvia azurea	. 27
Sandwort	Arenaria ceriscifolia	. 24
Sandwort, Mountain	Arenaria montana	. 24
Savory, Alpine	Calamintha alpina	. 24
Saxifrage, Heartleaf	Saxifgraga cordifolia	. 27
Scabiosa, Caucasian	Scabiosa caucasica	. 27
Scabiosa, Japanese	Scabiosa japonica	. 27
Sea Holly	Ervngium planum	. 25
Sea Holly, Lavender	Ervngium Heldreichi	. 25
Sea Lavender		_
Sea Pink	Armeria	. 24
Sedum, Middendorf	Sedum Middendorffianum	
Senna, Wild	Cassia marilandica	
Sneezewort, Great	Helenium autumnale superbum	
Snow-in-Summer	Cerastium tomentosum	
Speedwell, Bastard	Veronica amethystina	
Speedwell, Clump	Veronica Maritima subsessilis	
Speedwell, Rosy Comb	Veronica nectinata rosea	
Speedwell, Creeping	Veronica renens	
Speedwell, Golden	Veronica Trahani	
Speedwell, Harebell	Veronica Tenerium prostrata nana	27
Speedwell, Rose Harebell	Voronica Tourrium prostrata nana rosea	
Speedwell, Rose narebell	Verenica Teucrium prostrata nana rosea	27
Speedwell, Hungarian	Verenica Teuchum minestric	
Speedwell, Rock		
Speedwell, Spike	veronica spicata	
Speedwell, Woolly	veronica incana	
Spiderwort, Virginia	I radescantia virginiana	
Spiderwort, Pink Virginia	Iradescantia virginiana rosea	
Soapwort, Rock		
Star, Blazing	Liatris spicata	. 26
Stokesia	Stokesia	. 27
Stonecrop, Foster's	Sedum rupestre Fosterianum	. 27
Stonecrop, Hexagon	Sedum sexangulare	. 27
Stonecrop, Leafy	Sedum dasyphyllum	. 27
Stonecrop, Lydian	Sedum lydium	. 27
Stonecrop, Running	Sedum stoloniferum	. 27
Stonecrop, Showy	Sedum spectabile	. 27
Stonecrop, Siebold	Sedum Sieboldii	. 27
Stonecrop, Stringy	Sedum sarmentosum	. 27
Sundrop, Bush	Oenothera fruticosa major	. 26
Sunflower, False	Heliopsis	. 25
Sunrose	Helianthemum	. 25
Sunrose, Fickle	Helianthemum mutabile	. 25
Sweet William		
Thermopsis, Carolina	Thermopsis caroliniana	. 27
Thoroughwort	Eupatorium Fraseri	. 25
Thrift	Armeria	. 27
Thyme, Golden	Thymus citrodorous aureus	. 27
Thyme, Lemon	Thymus citriodorus	. 27
Thyme, Mother of	Thymus serpyllum comosus	. 27
Thyme, Silver	Thymus citriodorus argenteus	. 27
Thyme, Woolly	Thymus serpyllum lanuginosus	. 27
Tickseed	Coreopsis lanceolata	. 25
Torchlily	Kniphofia	. 26
•		


COMMON NAME	SCIENTIFIC NAME	PAGE
Tritoma	Kniphofia	26
Tunicflower, White Saxifrage	Tunica Saxifraga alba	27
Valerian, Common	Valeriana officinalis	27
Viola, European Yellow	Viola lutea splendens	27
Viola, Sweet	Viola odorata Rosina	27
Wallflower, Roman	Erinus alpinus	25
Wallflower, Siberian	Cheiranthus Allionii	24
Whitecup	Nierembergia rivularis	
Woundwort Woolly	Stachys lanata	27
Wormwood	Artemisia	24
Varrow Rose	Achillea Millefolium roseum	24

ROSES	PAGE
Climbing	31-32
Hybrid Rugosa	32
Hybrid Perpetual	
Hybrid Tea	
Polyantha	31
Special	
Special	
FRUIT	PAGE
Apples	34-35
Cherries	35
Peaches	35
Pears	
Plums	
Quince	36
Asparagus	37
Blackberries	37
Grapes	
Nut Treessee Jugl	lans 11
Raspberries	
Rhubarb	
Russian Mulberrysee Mo	
Strawberries	
Cross Sand and Fortilizar	38
Grass Seed and Fertilizer See Inside Bac	
General Information See Inside Dac	V COAGL

MEMORANDUM









TERMS—Cash with order unless other arrangements are made. We will ship orders C. O. D., providing twenty-five per cent of total amount is sent with order. Interest at legal rates will be charged on overdue accounts.

ORDER EARLY—Order immediately, if possible. Late orders are subject to the hazards of being handled in a rush. Moreover, some varieties or sizes may be sold out, causing disappointment.

USE ORDER BLANK—Use one of our regular order blanks when possible. Print your name plainly and state in each order when, where and how to ship. Write letters on a separate sheet of paper.

HOW TO SEND MONEY—By check, express money order, post office money order, bank draft or cash enclosed in registered letter.

PARCEL POST SHIPMENTS—For small packages we recommend Parcel Post, as it is the safest, quickest and most economical method of shipment. If you reside on a rural route, the package will be delivered to your door. The size of package is limited to 100 inches combined length and circumference. The weight is limited to 70 pounds to point within first, second, or third zones, or within 300 miles of Yalesville. To points farther away, the limit is 50 pounds. As it is impossible to accurately estimate the weight, C. O. D. method is most satisfactory, as you only pay actual cost.

TRANSPORTATION CONDITIONS—All goods are sold F. O. B. point of shipment, and travel at the purchaser's risk and expense.

GUARANTEE —Prices do not include any guarantee of growth. The successful growth of a tree or plant is dependent upon many vital conditions over which the nurseryman has no control, such as the planting, cultivation and maintenance, the weather, the soil, the rainfall, etc. Consequently, we cannot guarantee successful growth.

CLAIMS—If there are any claims, they must be made on receipt of goods. Any errors of ours will be promptly and satisfactorily adjusted. Claims made after ten days from receipt of goods cannot be considered. We ship only best grades of stock and use great care in packing. Our prices do not allow for replacement of plants that die. However, to meet the customer half way, we will replace material at one-half price. We can make no exceptions to this rule.

NON-WARRANTY—(1) If any nursery stock shall prove untrue to the label under which it is sold, provided notice and proper proof thereof are furnished by the purchaser to the seller, the seller shall, at the option of the purchaser, either refill that portion of the order, which was mislabeled, by another delivery of stock, or refund the purchase price; but in any case, we are not to be held responsible for a sum greater than the original selling price of such stock. (2) All sales or agreements of sale are made subject to shortage of nursery stock, fire, frost, floods, drought, or other causes beyond the control of the seller.

INSPECTION—Our nurseries have been thoroughly inspected and found apparently free from injurious insects and diseases.

GRADES—We grade our fruit trees primarily by caliper, height being only approximate, and this places many of our trees in the second grade which might be sold as first grade by those who grade only by height. We consider that good stock, well graded by caliper, will give more satisfaction year after year than when graded by height.

QUANTITY DISCOUNTS—It costs us less per plant to dig a large order and prepare it for shipment than a small order, and we are glad to pass this saving on to our customers. Therefore, we will allow 10% discount on lots of 5 to 50 plants of a single variety and size, and 20% discount on 50 or more plants of a single variety and size, unless special quantity rates have been quoted. In view of the high quality of Barnes Bros. stock, and the care with which it is handled, we cannot deviate from these quotations. Discounts on 300 or more of a single variety quoted on request.

Our nursery is located on the Boston Post Road, Route 5, three miles south of Meriden, two miles north of Wallingford. Buses of the New England Transportation Company pass our office, leaving the Hartford R. R. Station from the north and New Haven R. R. Station from the south every hour on the hour. Anyone coming from the south may take a bus at New Haven or Wallingford, and from the north at Hartford or Meriden. The local bus line between Wallingford and Meriden is about 15 minutes walk from our office.



